

Glossary, definitions, acronyms, abbreviations, references and additional resources

2nd Edition,
2018

GLOSSARY/DEFINITION OF TERMS USED

Abrupt weaning, means immediate cessation of breastfeeding which may be forced on the infant by the mother or on the mother and infant by others.

AFASS, Acceptable, feasible, affordable, sustainable and safe – the conditions required for safe replacement feeding in previous policy, now updated.

AIDS, means Acquired immunodeficiency syndrome: the active pathological condition that follows the earlier, non-symptomatic state of being HIV-positive.

ALT, means Alanine Transaminase.

ART, an abbreviation of antiretroviral therapy and usually meaning one or two antiretroviral drugs used to treat people infected with HIV to reduce their viral load.

ARV, an abbreviation of antiretroviral drugs, used for antiretroviral therapy or antiretroviral prophylaxis

B Cells, are a type of lymphocyte of the immune system which make antibodies against antigens.

Body Mass Index, measures whether an individual is over or underweight, which is calculated by dividing their weight in kilograms by the square of their height in metres.

Breastmilk substitute, refers to any food being marketed or otherwise represented as a partial or total replacement for breastmilk, whether or not suitable for that purpose.

CD4 cells, (also known as T4 or helper T cells) are lymphocytes (a type of white blood cell), which are important in immune responses. These are the main target cells for HIV. Their numbers decrease during HIV infection, and their level is used as a marker of progression of the infection.

Cessation of breastfeeding, means completely stopping breastfeeding, which includes no more suckling at the breast.

Child, refers to a child, usually aged 0-5 years in the present context.

Clade C HIV-1, refers to the sub-group (clade) of the most common type of HIV (Group M). It is the dominant form in Southern Africa, Eastern Africa, India, Nepal, and parts of China.

Cohort, means a group of subjects who have shared a particular event together during a particular time span, e.g. a research study.

Commercial infant formula, a product that meets the applicable Codex standard for being the sole source of nutrition for an infant.

Complementary food, means any food, whether manufactured or locally prepared, used as a complement to breastmilk or to a breastmilk substitute, when additional nutrients are needed once an infant reaches 6 months of age.

Codex Alimentarius Standards, are internationally recognized standards of food and food safety, developed by a Commission established by WHO and FAO.

Counselling, means a type of talking therapy that allows a person to talk about their problems and feelings and be listened to with empathy in a confidential and dependable environment.

Cup feeding, means feeding an infant or child using a cup.

ELISA, refers to an Enzyme Linked Immunosorbent Assay, in the present context, one which identifies antibodies to HIV in an infected person's blood.

EMTCT, means Elimination of Mother-to-Child Transmission.

Exclusive breastfeeding, means an infant receives no other food or drink, not even water, other than breastmilk (which can include expressed breastmilk), with the exception of drops or syrups consisting of vitamins, mineral supplements or medicines. When expressed milk is given, the preferred term is exclusive breastmilk feeding.

Femidom, means a female condom used during sexual intercourse as a barrier contraceptive to reduce the risk of sexually transmitted and HIV, and unintended pregnancy, though its protection against them is inferior to that provided by a male condoms.

Fetal electrode, is a bipolar electrode on a wire, inserted into the vagina, past the cervix and gently screwed into the fetal scalp which is used to monitor fetal wellbeing during labour.

Formula feeding, involves the use of commercial infant milk that is formulated industrially in accordance with applicable Codex Alimentarius standards.

Full breastfeeding, means exclusive and almost exclusive breastfeeding which means that no other liquid or solid from any other source enters the infant's mouth, or that occasional tastes of other liquids, traditional foods, vitamins and/or medicines have been given.

HAART, means highly active antiretroviral therapy -- a combination of three or more different antiretroviral drugs at the same time.

Healthcare worker, means a person who is involved in the provision of health services to a user, including lay counsellors and community caregivers.

Heat-treating milk, means heating or pasteurizing milk on a stove or in a commercially manufactured pasteurizer to inactivate pathogens, e.g. bacteria and viruses.

HIV, Human Immunodeficiency Virus, a viral infection which destroys parts of the body's immune system.

HIV-1 p24 antigen, is a viral protein that makes up most of the viral core and which is present in the blood serum of newly infected individuals during the short period between infection and sero conversion, making p24 antigen assays useful in diagnosing primary HIV infection.

HIV-exposed infant, usually refers to an infant born to a woman living with HIV.

HIV-free survival, means the absence of a combined outcome of either (1) HIV infection or (2) death before HIV infection due to other causes. This concept has emerged as a consensus outcome to evaluate strategies.

HIV high-prevalence setting, setting with greater than 5% HIV prevalence in the population tested.

HIV-infected, refers to people who are infected with HIV, whether or not they are aware of it.

HIV low-prevalence setting, in setting with less than 5% HIV prevalence in the population tested.

HIV-negative, refers to people who have had an HIV test and who know that they tested negative, or to young children who have tested negative.

HIV PEP, is the use of ARV after exposure to body fluids such as blood, bloodstained saliva, breastmilk, genital secretion, and cerebrospinal, amniotic, peritoneal, synovial, pericardial or pleural fluid. HIV PEP should be offered and initiated as early as possible in all individuals with an exposure that has the potential for HIV transmission, preferably within 72 hours.

HIV Pre-Exposure Prophylaxis (PrEP), is the use of ARV drugs before HIV exposure by people who are not infected with HIV in order to block the acquisition of HIV.

HIV-positive, refers to people who have had an HIV test and who know that they tested positive, or to young children who have tested positive. Also described as Person living with HIV.

HIV postnatal transmission, is defined in an infant who has had a negative HIV-1 PCR at 30 days of age and who later has either a positive PCR result or, if older than 18 months, shows a positive HIV serology.

HIV status unknown, refers to people who either have not taken an HIV test or who have had a test but do not know the result.

IBCLC, An International Board Certified Lactation Consultant (IBCLC) is a healthcare professional who specializes in the clinical management of breastfeeding. An IBCLC is certified by the International Board of Lactation Consultant Examiners (IBLCE). An IBCLC works in a wide variety of settings, providing leadership, advocacy, professional development, and research in the lactation field.

Infant, refers to a baby less than 12 months of age.

Informed choice, means receiving or acquiring sufficient information with which to reach a knowledgeable decision.

Mixed feeding, means breastfeeding with the addition of fluids, solid foods and/or non-human milks such as formula and ready-to-use therapeutic foods before the age of 6 months.

MTCT, means Mother To Child Transmission of HIV, also known as vertical transmission or parent-to-child transmission (PTCT) or HIV-transmission to infants. MTCT is the term most often used for HIV transmission during pregnancy (prenatal), birth (perinatal) or breastfeeding (postnatal), because the immediate source of the child's HIV infection is the mother. Some people advocate for use of the terms parent-to-child transmission, or vertical transmission to avoid the blame for infection seeming to be the responsibility of the mother alone, when she is likely to have been infected through unprotected sex with an infected partner; often the child's father. Consensus on the use of one or other of these terms has not been reached. In this HIV Kit WABA also uses terminology such as paediatric HIV transmission in preference to MTCT.

NAT Test, Nucleic acid testing technologies that are developed and validated for use at or near to be point of care that can be used for early infant HIV testing.

Neonate, means an infant aged from birth to 28 days.

Non-consensual sex, means sexual assault or rape.

Opportunistic infection, means an infection that can infect people when their immune system is weakened, as with HIV infection, but not when they are healthy.

Option A, means that HIV-infected women receive intrapartum antiretroviral prophylaxis while their infants receive postpartum antiretroviral prophylaxis throughout the duration of breastfeeding.

Option B, means that pregnant and lactating HIV-infected women are offered ART beginning in the antenatal period and continuing throughout the duration of breastfeeding. At the end of breastfeeding those

women whose CD4 count is over 350 cells/mm³ would discontinue the prophylaxis, and only resume antiretroviral treatment when their CD4 count falls below 350 cells/mm³.

Option B+, means immediate provision to HIV-infected women of antiretroviral drugs which are continued for life regardless of their CD4 count, to protect their own health and to prevent vertical transmission of the virus to their babies.

Parent to child transmission or PTCT, means vertical transmission. This term is used to avoid the blame for infection seeming to be the responsibility of the mother alone, when she is likely to have been infected through unprotected sex with an infected partner; often the child's father. Consensus on the use of one or other of these terms has not been reached. MTCT remains the most commonly used term.

Paediatric HIV, means HIV in children. This term is used in connection with the child's infection and illness, whatever the source and to recognise that not all children's infections come from the mother.

Parallel Rapid Testing Algorithm, HIV testing that is most often used in settings of lower HIV incidence and prevalence, and in research settings

Partial breastfeeding, means that a baby is receiving some breastfeeds but is also being given other food or food-based fluids, such as formula milk or weaning foods.

Perinatal / Perinatally, describes the period surrounding birth, and traditionally includes the time from fetal viability from about 24 weeks of pregnancy up to either 7 or 28 days of life.

Perinatal HIV transmission, is defined as HIV transmission from mother to child during the very end of pregnancy, labor and delivery, or the first days of life.

Person living with HIV, means an individual who has tested HIV-positive on an HIV test.

Point-of-care testing, is conducted at or near the place where women and infants receive care.

Posnately, means the period from birth to six weeks of age.

PCR means the Polymerase Chain Reaction, the basis for an HIV test which tests for copies of HIV in blood and other body fluids including breast milk.

PITC, means Provider Initiated Testing and Counselling.

PMTCT, means Prevention of Mother To Child Transmission, and is often used to describe preventive programs.

PMTCT Care Cascade, means antenatal, delivery, and infant follow-up services through 12-18 months of life and provides a way that loss to follow-up or non-adherence to ART can be readily identified.

POC, Point of Care.

Poor nutrition, means a diet that lacks adequate essential nutrients to maintain good health.

Postnatal transmission, means vertical transmission of HIV during the breastfeeding period, measured as occurring 4-6 weeks after birth in a baby who is breastfed.

Premastication, means pre-chewing food to break it down for an individual who cannot chew for themselves, eg by a mother or other caretaker for a baby during the weaning process.

Primary prevention, means measures designed to prevent the onset of a given health care problem, e.g. health protection education and typically considered the most cost-effective form of health care.

Rapid test or RDT Testing, HIV testing recommended for settings where laboratory services are weak or absent. The Rapid test allows a quick turnaround, do not require specialized equipment, usually have internal controls, and can be operated by trained non-laboratory personnel, including lay service providers.

Replacement feeding, means the process of feeding a child who is not receiving any breast milk with a diet that provides all the nutrients the child needs until the child is fully fed on family foods.

Self-testing, is a process where a person collects a specimen, performs a test and interprets the test result in private.

Serial Rapid Testing Algorithm, consists of two different rapid tests, with different blood samples, applied one after another in the case of a positive result for HIV.

Serodiscordant partner, means a partner in a sexual relationship who is of a different HIV-status to the other, e.g. one partner is HIV-infected and the other is not.

Spillover, is a term used to describe the unnecessary spread of artificial feeding among mothers who either know that they are HIV-negative or do not know their HIV status – they do not breastfeed, or they breastfeed for a short time only, or they mix-feed, because of unfounded fears about HIV, or misinformation, an increased availability of breastmilk substitutes or the perception that artificial feeding is becoming the norm.

Stigma, means a mark or sign of disgrace or discredit. In a society in which artificial feeding or exclusive breastfeeding are rare, these practices may lead others to suspect that a mother is living with HIV. This in turn is often considered to be a sign that the mother has not been faithful to the child's father--often incorrectly.

Sub-Saharan Africa, means the area of the continent of Africa that lies south of the Sahara Desert.

Suppressed viral load, when a person living with HIV has viral load (HIV RNA) reduced to an undetectable viral load level.

Tenascin-C, is a glycoprotein expressed in the extracellular matrix of various tissues during development, disease or injury, and in restricted neurogenic areas of the central nervous system.

Transactional sex, means a relationship involving the giving of gifts or services in exchange for sex with the definite motivation to benefit materially from the sexual exchange. Often the participants frame themselves not in terms of prostitutes/clients, but rather as girlfriends/boyfriends, or sugar babies/sugar daddies and they are particularly common in sub-Saharan Africa, where they often involve relationships between older men and younger women or girls.

Undetectable viral load, when a person living with HIV under ART, has the viral load reduced to very low level, usually 40 copies/ml, depending on the test.

Vaginal lavage, means vaginal disinfection with diluted chlorhexidine (0.2%) during labour and delivery.

Vertical transmission, means transmission of HIV from the mother to an infant, during pregnancy, birth or breastfeeding, also known as mother to child transmission, or MTCT.

Viral load, means a measure of the number of viral particles present in an organism or environment, especially the number of HIV viruses in the bloodstream, usually written as the number per cubic millimetre (mm³).

Viral load suppression, when ART suppresses a person's viral load to 200 copies/ml or less. Being virally suppressed prevents the sexual transmission of HIV while simultaneously improving the health of a person living with HIV. Studies has showed that a person when is virally suppressed they cannot transmit HIV. Full adherence to ART is essential to maintain viral load suppression.

Weaning has multiple meanings and thus should be avoided in technical communication. It often means the process of feeding the infant any other food or drink apart from breast milk or expressed breast milk and drops or syrups consisting of vitamins, mineral supplements or medicines. It can also refer to the process of reducing breastfeeding or even complete cessation of breastfeeding.

Woman vs mother, use of these terms has been used interchangeably: Woman when portraying her in a holistic manner and mother when specifically referring to her role as the mother of an infant or young child.

Young child, means a toddler or child from 12 – 36 months of age.

ACRONYMS & ABBREVIATIONS

≤	less than or equal to
3TC	lamivudine
ABC	abacavir
AIDS	Acquired Immune Deficiency Syndrome
ART	Antiretroviral therapy, usually means 1-2 drugs, used in early studies
ARV	Antiretroviral
AZT	zidovudine (also known as ZDV)
BF	Breastfeeding
BFHI	Baby Friendly Hospital Initiative
BHITS study:	Breastfeeding and HIV International Transmission Study
cARV	Combined antiretroviral therapy
CDC	Centers for Disease Control and Prevention
DNA	Deoxyribonucleic Acid
DTG	Darunavir
EBF	Exclusive Breastfeeding
EFV	Efavirenz
EID	Early Infant Diagnosis
ELISA	Enzyme Linked Immunosorbent Assay
FAO	Food and Agriculture Organization
FDC	Fixed dose combination ART, e.g. lamivudine, stavudine, and nevirapine
FTC	Emtricitabine
HAART	Highly Active Antiretroviral Therapy, 3 or more drugs for more effective treatment used in later studies
HEIs	HIV Exposed Infants.
HIV	Human Immunodeficiency virus
HIV PEP	Post-exposure prophylaxis
HTC	HIV Testing and Counselling,
HTS	HIV Testing Services.
IAEA	International Atomic Energy Agency
IBCLC	International Board Certified Lactation Consultant
IF	Infant feeding
IYCF	Infant and young child feeding
LPV	Lopinavir
mm³	cubic millimetre
MTCT	Mother-to-Child Transmission of HIV
NGO	Non-governmental organization
NVP	Nevirapine
NNRTI	Non-nucleoside reverse-transcriptase inhibitor,
PCR	Polymerase Chain Reaction
PITC	Provider-initiated testing and counselling
PLHIV	People Living with HIV
PMTCT	Prevention of Mother-to-Child Transmission
POC	Point of Care.
PrEP	HIV Pre-prophylaxis Exposure
r	ritonavir
RAL	raltegravir
RDT	Rapid diagnostic test

RF	Replacement Feeding
Rit	Ritonavir
RNA	Ribonucleic acid, one of the three major macromolecules (along with DNA and proteins) that are essential for all known forms of life
SDGs	Sustainable Development Goals
sdNVP	single dose NVP
STI	Sexually transmitted infection
TDF	Tenofovir
UN Agencies:	United Nations Agencies
UNAIDS	Joint United Nations Programme on HIV/AIDS
UNFPA	United Nations Population Fund
UNHCR	United Nations Commissioner for Refugees
UNICEF	United Nations Children's Fund
USAID	U.S. Agency for International Development
WABA	World Alliance for Breastfeeding Action
WFP	United Nations World Food Programme
WHA	World Health Assembly
WHO	World Health Organization
ZDV	Zidovudine (same drug as AZT)

REFERENCES

- ABA. (2011). Draft infant feeding guidelines for health workers. <https://www.breastfeeding.asn.au/system/files/ABA%20submission%20re%20Infant%20Feeding%20Guidelines.pdf>
- Ahmed, F., Clemens, J. D., Rao, M. R., Sack, D. A., Khan, M., & Haque, E. (1992). Community-based evaluation of the effect of breast-feeding on the risk of microbiologically confirmed or clinically presumptive shigellosis in Bangladeshi children. *Pediatrics*, *90*(3), 406-411.
- Ahmed, S., Kim, M. H., & Abrams, E. J. (2013). Risks and benefits of lifelong antiretroviral treatment for pregnant and breastfeeding women: a review of the evidence for the Option B+ approach. *Current Opinion in HIV and AIDS*, *8*(5), 474-489.
- Alemu, M. (2016). Knowledge and attitude of lactating mothers and health professionals towards pasteurized donor human milk banking: a preliminary study on the feasibility of establishing donor human milk banking in neonatal intensive care unit of selected hospitals in Addis Ababa. (Msc), Addis Ababa University.
- Almroth, S. G. (1978). Water requirements of breast-fed infants in a hot climate. *The American Journal of Clinical Nutrition*, *31*(7), 1154-1157.
- Alvarez-Uria, G., Midde, M., Pakam, R., Bachu, L., & Naik, P. K. (2012). Effect of formula feeding and breastfeeding on child growth, infant mortality, and HIV transmission in children born to HIV-infected pregnant women who received triple antiretroviral therapy in a resource-limited setting: data from an HIV cohort study in India. *ISRN Pediatrics*, 2012.
- American Academy of Pediatrics. (2012). Breastfeeding and the use of human milk. *Pediatrics*, *129*(3), e827-e841.
- Andreson, J., Dana, N., Hepfer, B., King'ori, E., Oketch, J., Wojnar, D., et al. (2013). Infant feeding buddies: a strategy to support safe infant feeding for HIV-positive mothers. *Journal of Human Lactation*, *29*(1), 90-93.
- ANVISA. (2008). Banco de leite humano: funcionamento, prevenção e controle de riscos – série tecnológica em serviço de saúde Brazil. <http://www.fiocruz.br/redeblh/media/blhanv2008.pdf>
- Arifeen, S., Black, R. E., Antelman, G., Baqui, A., Caulfield, L., & Becker, S. (2001). Exclusive breastfeeding reduces acute respiratory infection and diarrhea deaths among infants in Dhaka slums. *Pediatrics*, *108*(4), e67-e67.
- Arpadi, S., Fawzy, A., Aldrovandi, G. M., Kankasa, C., Sinkala, M., Mwiya, M., et al. (2009). Growth faltering due to breastfeeding cessation in uninfected children born to HIV-infected mothers in Zambia. *The American Journal of Clinical Nutrition*, *90*(2), 344-353.
- Arslanoglu, S., Corpeleijn, W., Moro, G., Braegger, C., Campoy, C., Colomb, V., et al. (2013). Donor human milk for preterm infants: current evidence and research directions. *Journal of Pediatric Gastroenterology and Nutrition*, *57*(4), 535-542.
- Ásbjörnsdóttir, K. H., Slyker, J. A., Weiss, N. S., Mbori-Ngacha, D., Maleche-Obimbo, E., Wamalwa, D., et al. (2013). Breastfeeding is associated with decreased pneumonia incidence among HIV-exposed, uninfected Kenyan infants. *AIDS*, *27*(17), 2809-2815.
- AVERT. (2017a). Global HIV and AIDS statistics. Retrieved 5 April, 2018, from <https://www.avert.org/global-hiv-and-aids-statistics>.
- Baggaley, R., Hensen, B., Ajose, O., Grabbe, K., Wong, V., Schilsky, A., et al. (2012). From caution to urgency: the evolution of HIV testing and counselling in Africa. *Bulletin of the World Health Organization*, *90*(9), 652-658.
- Bahl, R., Frost, C., Kirkwood, B. R., Edmond, K., Martines, J., Bhandari, N., et al. (2005). Infant feeding patterns and risks of death and hospitalization in the first half of infancy: multicentre cohort study. *Bulletin of the World Health Organization*, *83*(6), 418-426.
- Becquet, R., & Ekouevi, D. K. (2011). Breastfeeding, triple ARV prophylaxis, and MTCT prevention. *The Lancet Infectious Diseases*, *11*(3), 154-155.
- Becquet, R., Marston, M., Dabis, F., Moulton, L. H., Gray, G., Coovadia, H. M., et al. (2012). Children who acquire HIV infection perinatally are at higher risk of early death than those acquiring infection through breastmilk: a meta-analysis. *PLoS One*, *7*(2), e28510.

- BHIVA, & NAM. (2013). Summary of BHIVA guidelines HIV treatment for pregnant women: mode of delivery. http://www.aidsmap.com/v635074295402570000/file/1186030/06_BHIVA_guide_preg_wom_mode_of_delivery.pdf
- BHIVA, CHIVA, Taylor, G., Anderson, J., Clayden, P., Gazzard, B., et al. (2011). British HIV Association and Children's HIV Association position statement on infant feeding in the UK. *HIV Medicine*, 12(7), 389-393.
- Bispo, S., Chikhungu, L., Rollins, N., Siegfried, N., & Newell, M. -L. (2017). Postnatal HIV transmission in breastfed infants of HIV-infected women on ART: a systematic review and meta-analysis. *Journal of the International AIDS Society*, 20(1).
- Bland, R. M., Little, K. E., Coovadia, H. M., Coutsooudis, A., Rollins, N. C., & Newell, M. -L. (2008). Intervention to promote exclusive breast-feeding for the first 6 months of life in a high HIV prevalence area. *AIDS*, 22(7), 883-891.
- Blumental, S., Ferster, A., Van den Wijngaert, S., & Lepage, P. (2014). HIV transmission through breastfeeding: still possible in developed countries. *Pediatrics*, 134(3), e875-e879.
- Bode, L., Kuhn, L., Kim, H.-Y., Hsiao, L., Nissan, C., Sinkala, M., et al. (2012). Human milk oligosaccharide concentration and risk of postnatal transmission of HIV through breastfeeding. *The American Journal of Clinical Nutrition*, 96(4), 831-839.
- Breastfeeding and HIV International Transmission Study Group. (2004). Late postnatal transmission of HIV-1 in breast-fed children: an individual patient data meta-analysis. *The Journal of Infectious Diseases*, 189(12), 2154-2166.
- Brown, K. H., Black, R. E., Lopez de Romaña, G., & Creed de Kanashiro, H. (1989). Infant-feeding practices and their relationship with diarrheal and other diseases in Huascar (Lima), Peru. *Pediatrics*, 83(1), 31-40.
- Cames, C., Cournil, A., de Vincenzi, I., Gaillard, P., Meda, N., Luchters, S., et al. (2014). Postpartum weight change among HIV-infected mothers by antiretroviral prophylaxis and infant feeding modality in a research setting. *AIDS*, 28(1), 85-94.
- CDC. (1994). Zidovudine for the prevention of HIV transmission from mother to infant. *Morbidity and Mortality Weekly Report*, 43(16), 285.
- CDC. (2011a). Interim guidance: preexposure prophylaxis for the prevention of HIV infection in men who have sex with men. *Morbidity and Mortality Weekly Report*, 60(3), 65-68.
- CDC. (2011b). Premastication of food by caregivers of HIV-exposed children-nine US sites, 2009-2010. *Morbidity and Mortality Weekly Report*, 60(9), 273-275.
- CDC. (2017a). Act against AIDS - One Test Two Lives campaign. Retrieved 12 September 2017, from <https://www.cdc.gov/actagainstaids/campaigns/otl/index.html>
- CDC. (2017b). HIV/AIDS - HIV transmission. Retrieved 12 September, 2017, from <https://www.cdc.gov/hiv/basics/transmission.html>
- Chantry, C. J., Israel-Ballard, K., Moldoveanu, Z., Peerson, J., Coutsooudis, A., Sibeko, L., et al. (2009). Effect of flash-heat treatment on immunoglobulins in breastmilk. *Journal of Acquired Immune Deficiency Syndromes*, 51(3), 264.
- Chantry, C. J., Morrison, P., Panchula, J., Rivera, C., Hillyer, G., Zorilla, C., et al. (2000). Effects of lipolysis or heat treatment on HIV-1 provirus in breast milk. *Journal of Acquired Immune Deficiency Syndromes*, 24(4), 325-329.
- Chantry, C. J., Wiedeman, J., Buehring, G., Peerson, J. M., Hayfron, K., K'Aluoch, O., et al. (2011). Effect of flash-heat treatment on antimicrobial activity of breastmilk. *Breastfeeding Medicine*, 6(3), 111-116.
- Chantry, C. J., Young, S. L., Rennie, W., Ngonyani, M., Mashio, C., Israel-Ballard, K., et al. (2012). Feasibility of using flash-heated breastmilk as an infant feeding option for HIV-exposed, uninfected infants after 6 months of age in urban Tanzania. *Journal of Acquired Immune Deficiency Syndromes*, 60(1), 43-50.
- Chasela, C. S., Hudgens, M. G., Jamieson, D. J., Kayira, D., Hosseinipour, M. C., Kourtis, A. P., et al. (2010). Maternal or infant antiretroviral drugs to reduce HIV-1 transmission. *New England Journal of Medicine*, 362(24), 2271-2281.
- Chetty, T., Carter, R. J., Bland, R. M., & Newell, M. -L. (2014). HIV status, breastfeeding modality at 5 months and postpartum maternal weight changes over 24 months in rural South Africa. *Tropical Medicine & International Health*, 19(7), 852-862.
- Chibwesa, C. J., Giganti, M. J., Putta, N., Chintu, N., Mulindwa, J., Dorton, B. J., et al. (2011). Optimal time on HAART for prevention of mother-to-child transmission of HIV. *Journal of Acquired Immune Deficiency Syndromes*, 58(2), 224-228.
- Chikhungu, L., Bispo, S., & Newell, M. -L. Postnatal HIV transmission rates at age six and 12 months in infants of HIV-infected women on ART initiating breastfeeding: a systematic review of the literature. http://www.who.int/maternal_child_adolescent/documents/hiv-infant-feeding-2016-ax1b-hiv-transmission-rates-6-12m.pdf
- Chikhungu, L. C., Bispo, S., Rollins, N., Siegfried, N., & Newell, M. -L. (2016). HIV-free survival at 12-24 months in breastfed infants of HIV-infected women on antiretroviral treatment. *Tropical Medicine & International Health*, 21(7), 820-828.
- Chinkonde, J. R., Hem, M. H., & Sundby, J. (2012). HIV and infant feeding in Malawi: public health simplicity in complex social and cultural contexts. *BMC Public Health*, 12(1), 700.
- Chisenga, M., Kasonka, L., Makasa, M., Sinkala, M., Chintu, C., Kaseba, C., et al. (2005). Factors affecting the duration of exclusive breastfeeding among HIV-infected and-uninfected women in Lusaka, Zambia. *Journal of Human Lactation*, 21(3), 266-275.

- Chopra, M., Doherty, T., Goga, A., Jackson, D., & Persson, L. (2010). Survival of infants in the context of prevention of mother to child HIV transmission in South Africa. *Acta Paediatrica*, 99(5), 694-698.
- Chopra, M., Doherty, T., Jackson, D., & Ashworth, A. (2005). Preventing HIV transmission to children: quality of counselling of mothers in South Africa. *Acta Paediatrica*, 94(3), 357-363.
- Cohen, M. S., Chen, Y. Q., McCauley, M., Gamble, T., Hosseinipour, M. C., Kumarasamy, N., et al. (2011). Prevention of HIV-1 infection with early antiretroviral therapy. *New England Journal of Medicine*, 365(6), 493-505.
- Connor, E. M., Sperling, R. S., Gelber, R., Kiselev, P., Scott, G., O'Sullivan, M. J., et al. (1994). Reduction of maternal-infant transmission of human immunodeficiency virus type 1 with zidovudine treatment. *New England Journal of Medicine*, 1994(331), 1173-1180.
- Coovadia, H. M., Brown, E. R., Fowler, M. G., Chipato, T., Moodley, D., Manji, K., et al. (2012). Efficacy and safety of an extended nevirapine regimen in infant children of breastfeeding mothers with HIV-1 infection for prevention of postnatal HIV-1 transmission (HPTN 046): a randomised, double-blind, placebo-controlled trial. *The Lancet*, 379(9812), 221-228.
- Coovadia, H. M., Rollins, N. C., Bland, R. M., Little, K., Coutsooudis, A., Bennish, M. L., et al. (2007). Mother-to-child transmission of HIV-1 infection during exclusive breastfeeding in the first 6 months of life: an intervention cohort study. *The Lancet*, 369(9567), 1107-1116.
- Coutsooudis, A., Coovadia, H. M., & Wilfert, C. M. (2008). HIV, infant feeding and more perils for poor people: new WHO guidelines encourage review of formula milk policies. *Bulletin of the World Health Organization*, 86(3), 210-214.
- Coutsooudis, A., Goga, A., Rollins, N., Coovadia, H. M., & Child Health Group. (2002). Free formula milk for infants of HIV-infected women: blessing or curse? *Health Policy and Planning*, 17(2), 154-160.
- Coutsooudis, A., Pillay, K., Kuhn, L., Spooner, E., Tsai, W.-Y., Coovadia, H. M., et al. (2001). Method of feeding and transmission of HIV-1 from mothers to children by 15 months of age: prospective cohort study from Durban, South Africa. *AIDS*, 15(3), 379-387.
- Coutsooudis, A., Pillay, K., Spooner, E., Coovadia, H. M., Pembrey, L., & Newell, M. -L. (2003). Morbidity in children born to women infected with human immunodeficiency virus in South Africa: does mode of feeding matter? *Acta Paediatrica*, 92(8), 890-895.
- Coutsooudis, A., Pillay, K., Spooner, E., Kuhn, L., Coovadia, H. M., & South African Vitamin A Study Group. (1999). Influence of infant-feeding patterns on early mother-to-child transmission of HIV-1 in Durban, South Africa: a prospective cohort study. *The Lancet*, 354(9177), 471-476.
- Coutsooudis, I., Adhikari, M., Nair, N., & Coutsooudis, A. (2011). Feasibility and safety of setting up a donor breastmilk bank in a neonatal prem unit in a resource limited setting: an observational, longitudinal cohort study. *BMC Public Health*, 11(1), 356.
- Creek, T. L., Kim, A., Lu, L., Bowen, A., Masunge, J., Arvelo, W., et al. (2010). Hospitalization and mortality among primarily nonbreastfed children during a large outbreak of diarrhea and malnutrition in Botswana, 2006. *Journal of Acquired Immune Deficiency Syndromes*, 53(1), 14-19.
- Creek, T. L., Sherman, G. G., Nkengasong, J., Lu, L., Finkbeiner, T., Fowler, M. G., et al. (2007). Infant human immunodeficiency virus diagnosis in resource-limited settings: issues, technologies, and country experiences. *American Journal of Obstetrics and Gynecology*, 197(3), S64-S71.
- Da Silva, R. (2004, 19 September). [Global Health Consultant, Personal communication].
- De Cock, K. M., Fowler, M. G., Mercier, E., de Vincenzi, I., Saba, J., Hoff, E., et al. (2000). Prevention of mother-to-child HIV transmission in resource-poor countries: translating research into policy and practice. *JAMA*, 283(9), 1175-1182.
- De Ruiter, A., Mercey, D., Anderson, J., Chakraborty, R., Clayden, P., Foster, G., et al. (2008). British HIV Association and Children's HIV Association guidelines for the management of HIV infection in pregnant women 2008. *HIV Medicine*, 9(7), 452-502.
- Doherty, M., Ford, N., Vitoria, M., Weiler, G., & Hirnschall, G. (2013). The 2013 WHO guidelines for antiretroviral therapy: evidence-based recommendations to face new epidemic realities. *Current Opinion in HIV and AIDS*, 8(6), 528-534.
- Doherty, T., Chopra, M., Jackson, D., Goga, A., Colvin, M., & Persson, L. A. (2007). Effectiveness of the WHO/UNICEF guidelines on infant feeding for HIV-positive women: results from a prospective cohort study in South Africa. *AIDS*, 21(13), 1791-1797.
- Doherty, T., Chopra, M., Nkonki, L., Jackson, D., & Greiner, T. (2006). Effect of the HIV epidemic on infant feeding in South Africa: "When they see me coming with the tins they laugh at me". *Bulletin of the World Health Organization*, 84(2), 90-96.
- Dorosko, S. M., Housman, M. L., & Connor, R. I. (2012). Nevirapine inhibits cell-free human immunodeficiency virus (HIV)-1 infection in vitro more efficiently than cell-cell HIV infection at concentrations found in human breastmilk. *Breastfeeding Medicine*.
- Drake, A. L., Wagner, A., Richardson, B., & John-Stewart, G. (2014). Incident HIV during pregnancy and postpartum and risk of mother-to-child HIV transmission: a systematic review and meta-analysis. *PLoS Medicine*, 11(2), e1001608.

- Dunn, D. T., Newell, M.-L., Ades, A., & Peckham, C. S. (1992). Risk of human immunodeficiency virus type 1 transmission through breastfeeding. *The Lancet*, *340*(8819), 585-588.
- Eglash, A., Simon, L., & The Academy of Breastfeeding Medicine. (2017). ABM clinical protocol# 8: human milk storage information for home use for full-term infants, revised 2017. *Breastfeeding Medicine*, *12*(7), 390-395.
- Embree, J. E., Njenga, S., Datta, P., Nagelkerke, N. J., Ndinya-Achola, J. O., Mohammed, Z., et al. (2000). Risk factors for postnatal mother-child transmission of HIV-1. *AIDS*, *14*(16), 2535-2541.
- ENN, IBFAN-GIFA, Fondation Terre des Hommes, CARE USA, Action Contre la Faim, UNICEF, et al. (2007). Infant feeding in emergencies – for health and nutrition workers in emergency situations. Module 2, version 1.1. <http://www.enonline.net/ifemodule2>
- Fasawe, O., Avila, C., Shaffer, N., Schouten, E., Chimbwandira, F., Hoos, D., et al. (2013). Cost-effectiveness analysis of option B+ for HIV prevention and treatment of mothers and children in Malawi. *PLoS One*, *8*(3), e57778.
- Fawzy, A., Arpadi, S., Kankasa, C., Sinkala, M., Mwiya, M., Thea, D. M., et al. (2011). Early weaning increases diarrhea morbidity and mortality among uninfected children born to HIV-infected mothers in Zambia. *The Journal of Infectious Diseases*, *203*(9), 1222-1230.
- Feucht, U., Forsyt, B., & Kruger, M. (2012). False-positive HIV DNA PCR testing of infants: implications in a changing epidemic. *South African Medical Journal*, *102*(3 Pt 1), 149-152.
- Fletcher, J. (2017). Western blot and ELISA tests for HIV: what to expect. Retrieved 12 September, 2017, from <https://www.medicalnewstoday.com/articles/316230.php>.
- Forum for Collaborative HIV Research. (2011, Aug 24). HIV experts create the roadmap for providing PrEP to uninfected individuals to reduce the risk of HIV infection. Retrieved 12 September, 2017, from <https://www.prnewswire.com/news-releases/hiv-experts-create-the-roadmap-for-providing-prep-to-uninfected-individuals-to-reduce-the-risk-of-hiv-infection-128328973.html>.
- Fouda, G. G., Jaeger, F. H., Amos, J. D., Ho, C., Kunz, E. L., Anasti, K., et al. (2013). Tenascin-C is an innate broad-spectrum, HIV-1-neutralizing protein in breast milk. *Proceedings of the National Academy of Sciences of the United States of America*, *110*(45), 18220-18225.
- Fouda, G. G., Yates, N. L., Pollara, J., Shen, X., Overman, G. R., Mahlokozero, T., et al. (2011). HIV-specific functional antibody responses in breast milk mirror those in plasma and are primarily mediated by IgG antibodies. *Journal of Virology*, *85*(18), 9555-9567.
- French, C. E., Cortina-Borja, M., Thorne, C., & Tookey, P. A. (2012). Incidence, patterns, and predictors of repeat pregnancies among HIV-infected women in the United Kingdom and Ireland, 1990-2009. *Journal of Acquired Immune Deficiency Syndromes*, *59*(3), 287-293.
- Friedman, J., Alam, S. M., Shen, X., Xia, S.-M., Stewart, S., Anasti, K., et al. (2012). Isolation of HIV-1-neutralizing mucosal monoclonal antibodies from human colostrum. *PLoS One*, *7*(5), e37648.
- Gabiano, C., Tovo, P.-A., de Martino, M., Galli, L., Mazza, A., Giaquinto, C., et al. (1992). Mother-to-child transmission of human immunodeficiency virus type 1: risk of infection and correlates of transmission. *Pediatrics*, *90*(3), 369-374.
- Garcia, P. M., Kalish, L. A., Pitt, J., Minkoff, H., Quinn, T. C., Burchett, S. K., et al. (1999). Maternal levels of plasma human immunodeficiency virus type 1 RNA and the risk of perinatal transmission. *New England Journal of Medicine*, *341*(6), 394-402.
- Gartland, M. G., T CHINTU, N., Li, M. S., Lembalemba, M. K., Mulenga, S. N., Bweupe, M., et al. (2013). Field effectiveness of combination antiretroviral prophylaxis for the prevention of mother-to-child HIV transmission in rural Zambia. *AIDS*, *27*(8), 1253-1262.
- Gashumba, D., Israel-Ballard, K., Pantazis, A., Van Zyl, C., Mukandagano, P., Kayumba, J., et al. (2010). *Evaluating the implementation of flash-heating breast milk as part of the infant and young child feeding program in Rwanda*. Paper presented at the AIDS 2010 XVIII International AIDS Conference, Vienna, Austria.
- Gaur, A. H., Cohen, R. A., Read, J. S., Hance, L. F., Dominguez, K., Alarcon, J. O., et al. (2013). Prechewing and prewarming food for HIV-exposed children: a prospective cohort experience from Latin America. *AIDS Patient Care and STDs*, *27*(3), 142-145.
- Goldman, A. S. (2007). The immune system in human milk and the developing infant. *Breastfeeding Medicine*, *2*(4), 195-204.
- Goosby, E. (2013). Is Option B+ the best choice? (Correspondence). *The Lancet*, *381*(9874), 1272-1273.
- Greene, S., Ion, A., Elston, D., Kwaramba, G., Smith, S., Carvalhal, A., et al. (2015). "Why aren't you breastfeeding?": how mothers living with HIV talk about infant feeding in a "Breast Is Best" world. *Health Care for Women International*, *36*(8), 883-901.
- Greiner, T., & Morrison, P. (2013). Breastfeeding by HIV-infected women in the USA. *Pediatrics*.
- Guay, L. A., Musoke, P., Fleming, T., Bagenda, D., Allen, M., Nakabiito, C., et al. (1999). Intrapartum and neonatal single-dose nevirapine compared with zidovudine for prevention of mother-to-child transmission of HIV-1 in Kampala, Uganda: HIVNET 012 randomised trial. *The Lancet*, *354*(9181), 795-802.

- Gutierrez, M., Ludwig, D. A., Khan, S. S., Chaparro, A. A., Rivera, D. M., Cotter, A. M., et al. (2012). Has highly active antiretroviral therapy increased the time to seroreversion in HIV exposed but uninfected children? *Clinical Infectious Diseases*, 55(9), 1255-1261.
- Haider, R., Kabir, I., Huttly, S. R., & Ashworth, A. (2002). Training peer counselors to promote and support exclusive breastfeeding in Bangladesh. *Journal of Human Lactation*, 18(1), 7-12.
- Hamza, O. J., Matee, M. I., Brüggemann, R. J., Moshi, M. J., Simon, E. N., Mugusi, F., et al. (2008). Single-dose fluconazole versus standard 2-week therapy for oropharyngeal candidiasis in HIV-infected patients: a randomized, double-blind, double-dummy trial. *Clinical Infectious Diseases*, 47(10), 1270-1276.
- Hanson, L., Adlerberth, I., Carlsson, B., Castrignano, S., Dahlgren, U., Jalil, F., et al. (1989). Host defense of the neonate and the intestinal flora. *Acta Paediatrica*, 78(s351), 122-125.
- Hardy, J. (2016). Danger lurking in infant formula – *Cronobacter sakazakii*. A case history. <http://hardydiagnostics.com/wp-content/uploads/2016/05/Cronobacter-sakazakii.pdf>
- Havens, P. L., Mofenson, L. M., & The Committee on Pediatric AIDS. (2009). Evaluation and management of the infant exposed to HIV-1 in the United States. *Pediatrics*, 123(1), 175-187.
- Hazemba, A. N., Ncama, B. P., & Sithole, S. L. (2016). Promotion of exclusive breastfeeding among HIV-positive mothers: an exploratory qualitative study. *International Breastfeeding Journal*, 11(1), 9.
- Hoffman, R., Black, V., Technau, K., van der Merwe, K. J., Currier, J., Coovadia, A., et al. (2010). Effects of highly active antiretroviral therapy duration and regimen on risk for mother-to-child transmission of HIV in Johannesburg, South Africa. *Journal of Acquired Immune Deficiency Syndromes*, 54(1), 35.
- Holla-Bhar, R. (2006). Against all odds – gendered challenges to breastfeeding. (2nd ed.). Penang: WABA/CEFEMINA.
- Homsy, J., Moore, D., Barasa, A., Were, W., Likicho, C., Waiswa, B., et al. (2010). Breastfeeding, mother-to-child HIV transmission, and mortality among infants born to HIV-infected women on highly active antiretroviral therapy in rural Uganda. *Journal of Acquired Immune Deficiency Syndromes*, 53(1), 28-35.
- Huntington, S. E., Thorne, C., Bansi, L. K., Anderson, J., Newell, M.-L., Taylor, G. P., et al. (2013). Predictors of pregnancy and changes in pregnancy incidence among HIV-positive women accessing HIV clinical care at 13 large UK clinics. *AIDS*, 27(1), 95-103.
- IATT, WHO, & UNICEF. (2013b). Toolkit, expanding and simplifying treatment for pregnant women living with HIV. Managing the transition to option B/B+. http://www.who.int/hiv/pub/mtct/iatt_optionBplus_toolkit/en/
- ICDC. (2007). International Code of Marketing of Breast-Milk Substitutes and relevant WHA resolutions (2nd ed.). Penang: IBFAN.
- ICDC. (2009a). The code and infant feeding in emergencies http://worldbreastfeedingweek.net/wbw2009/images/icdc_%20focus_english.pdf
- ICDC. (2011). State of the code by country. Penang: IBFAN. <http://ibfan.org/art/Blue-SOC-2011.pdf>
- Iliff, P. J., Piwoz, E. G., Tavengwa, N. V., Zunguza, C. D., Marinda, E. T., Nathoo, K. J., et al. (2005). Early exclusive breastfeeding reduces the risk of postnatal HIV-1 transmission and increases HIV-free survival. *AIDS*, 19(7), 699-708.
- IOCU, & IBFAN. (1990). Protecting infant health – a health workers' guide to the International Code of Marketing of Breast Milk Substitutes (6th ed.). Penang: IBFAN/IOCU.
- Ishikawa, N., Shimbo, T., Miyano, S., Sikazwe, I., Mwango, A., Ghidinelli, M. N., et al. (2014). Health outcomes and cost impact of the new WHO 2013 guidelines on prevention of mother-to-child transmission of HIV in Zambia. *PLoS One*, 9(3), e90991.
- Israel-Ballard, K. (2007). HIV in breastfeeding killed by flash-heating, new study finds (video). From http://www.berkeley.edu/news/media/releases/2007/05/21_breastmilk-video.shtml
- Israel-Ballard, K., Chantry, C., Dewey, K., Lönnerdal, B., Sheppard, H., Donovan, R., et al. (2005). Viral, nutritional, and bacterial safety of flash-heated and Pretoria-pasteurized breast milk to prevent mother-to-child transmission of HIV in resource-poor countries: a pilot study. *Journal of Acquired Immune Deficiency Syndromes*, 40(2), 175-181.
- Israel-Ballard, K., Coutsooudis, A., Chantry, C., Sturm, A., Karim, F., Sibeko, L., et al. (2006a). Bacterial safety of flash-heated and unheated expressed breastmilk during storage. *Journal of Tropical Pediatrics*, 52(6), 399-405.
- Israel-Ballard, K., Coutsooudis, A., Chantry, C., Sturm, A., Karim, F., Sibeko, L., et al. (2008a). Flash-heated and Pretoria pasteurized destroys HIV in breast milk & preserves nutrients! *Advanced Biotech*, 7(03), 32-35.
- Israel-Ballard, K., Donovan, R., Chantry, C., Coutsooudis, A., Sheppard, H., Sibeko, L., et al. (2007). Flash-heat inactivation of HIV-1 in human milk: a potential method to reduce postnatal transmission in developing countries. *Journal of Acquired Immune Deficiency Syndromes*, 45(3), 318-323.
- Israel-Ballard, K., Waithaka, M., & Greiner, T. (2014). Infant feeding counselling of HIV-infected women in two areas in Kenya in 2008. *International Journal of STD & AIDS*, 25(13), 921-928.
- Israel-Ballard, K. A., Abrams, B. F., Coutsooudis, A., Sibeko, L. N., Cheryk, L. A., & Chantry, C. J. (2008b). Vitamin content of breast milk from HIV-1-infected mothers before and after flash-heat treatment. *Journal of Acquired Immune Deficiency Syndromes*, 48(4), 444-449.

- Israel-Ballard, K. A., Maternowska, M. C., Abrams, B. F., Morrison, P., Chitibura, L., Chipato, T., et al. (2006b). Acceptability of heat treating breast milk to prevent mother-to-child transmission of human immunodeficiency virus in Zimbabwe: a qualitative study. *Journal of Human Lactation*, 22(1), 48-60.
- Ivy III, W., Dominguez, K. L., Rakhmanina, N. Y., Iuliano, A. D., Danner, S. P., Borkowf, C. B., et al. (2012). Premastication as a route of pediatric HIV transmission: case-control and cross-sectional investigations. *Journal of Acquired Immune Deficiency Syndromes*, 59(2), 207-212.
- Jackson, D. J., Chopra, M., Doherty, T. M., Colvin, M. S., Levin, J. B., Willumsen, J. F., et al. (2007). Operational effectiveness and 36 week HIV-free survival in the South African programme to prevent mother-to-child transmission of HIV-1. *AIDS*, 21(4), 509-516.
- Jamieson, D. J., Chasela, C. S., Hudgens, M. G., King, C. C., Kourtis, A. P., Kayira, D., et al. (2012). Maternal and infant antiretroviral regimens to prevent postnatal HIV-1 transmission: 48-week follow-up of the BAN randomised controlled trial. *The Lancet*, 379(9835), 2449-2458.
- Jeffery, B., Webber, L., Mokhondo, K., & Erasmus, D. (2001). Determination of the effectiveness of inactivation of human immunodeficiency virus by Pretoria pasteurization. *Journal of Tropical Pediatrics*, 47(6), 345-349.
- John-Stewart, G., Mbori-Ngacha, D., Ekpini, R., Janoff, E. N., Nkengasong, J., Read, J. S., et al. (2004). Breast-feeding and transmission of HIV-1. *Journal of Acquired Immune Deficiency Syndromes*, 35(2), 196-202.
- Johnson, L. F., Stinson, K., Newell, M.-L., Bland, R. M., Moultrie, H., Davies, M.-A., et al. (2012). The contribution of maternal HIV seroconversion during late pregnancy and breastfeeding to mother-to-child transmission of HIV. *Journal of Acquired Immune Deficiency Syndromes*, 59(4), 417-425.
- Jones, G., Steketee, R. W., Black, R. E., Bhutta, Z. A., Morris, S. S., & Bellagio Child Survival Study Group. (2003). How many child deaths can we prevent this year? *The Lancet*, 362(9377), 65-71.
- Kafulafula, G., Hoover, D. R., Taha, T. E., Thigpen, M., Li, Q., Fowler, M. G., et al. (2010). Frequency of gastroenteritis and gastroenteritis-associated mortality with early weaning in HIV-1-uninfected children born to HIV-infected women in Malawi. *Journal of Acquired Immune Deficiency Syndromes*, 53(1), 6-13.
- Kagaayi, J., Gray, R. H., Brahmbhatt, H., Kigozi, G., Nalugoda, F., Wabwire-Mangen, F., et al. (2008). Survival of infants born to HIV-positive mothers, by feeding modality, in Rakai, Uganda. *PLoS One*, 3(12), e3877.
- Kesho Bora Study Group. (2011). Triple antiretroviral compared with zidovudine and single-dose nevirapine prophylaxis during pregnancy and breastfeeding for prevention of mother-to-child transmission of HIV-1 (Kesho Bora study): a randomised controlled trial. *The Lancet Infectious Diseases*, 11(3), 171-180.
- Kilewo, C., Karlsson, K., Massawe, A., Lyamuya, E., Swai, A., Mhalu, F., et al. (2008). Prevention of mother-to-child transmission of HIV-1 through breast-feeding by treating infants prophylactically with lamivudine in Dar es Salaam, Tanzania: the Mitra study. *Journal of Acquired Immune Deficiency Syndromes*, 48(3), 315-323.
- Kilewo, C., Karlsson, K., Ngarina, M., Massawe, A., Lyamuya, E., Swai, A., et al. (2009). Prevention of mother-to-child transmission of HIV-1 through breastfeeding by treating mothers with triple antiretroviral therapy in Dar es Salaam, Tanzania: the Mitra Plus study. *Journal of Acquired Immune Deficiency Syndromes*, 52(3), 406-416.
- Kourtis, A. P., Butera, S., Ibegbu, C., Belec, L., & Duerr, A. (2003). Breast milk and HIV-1: vector of transmission or vehicle of protection? *The Lancet Infectious Diseases*, 3(12), 786-793.
- Kramer, M., & Kakuma, R. (2002). The optimal duration of exclusive breastfeeding: a systematic review. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/handle/10665/67208/WHO_NHD_01.08.pdf;jsessionid=77627D14FFD969249EF68F14A70DD305?sequence=1
- Kuhn, L., & Aldrovandi, G. (2012). Pendulum swings in HIV-1 and infant feeding policies: now halfway back. In Kourtis, A. & Bulterys, M. (Eds.), *Human Immunodeficiency Virus type 1 (HIV-1) and Breastfeeding* (pp. 273-287). New York: Springer.
- Kuhn, L., Aldrovandi, G. M., Sinkala, M., Kankasa, C., Semrau, K., Mwiya, M., et al. (2008). Effects of early, abrupt weaning on HIV-free survival of children in Zambia. *New England Journal of Medicine*, 359(2), 130-141.
- Kuhn, L., Kim, H.-Y., Walter, J., Thea, D. M., Sinkala, M., Mwiya, M., et al. (2013). HIV-1 concentrations in human breast milk before and after weaning. *Science Translational Medicine*, 5(181), 181ra151.
- Kuhn, L., Sinkala, M., Kankasa, C., Semrau, K., Kasonde, P., Scott, N., et al. (2007). High uptake of exclusive breastfeeding and reduced early post-natal HIV transmission. *PLoS One*, 2(12), e1363.
- Kuhn, L., Sinkala, M., Semrau, K., Kankasa, C., Kasonde, P., Mwiya, M., et al. (2010). Elevations in mortality associated with weaning persist into the second year of life among uninfected children born to HIV-infected mothers. *Clinical Infectious Diseases*, 50(3), 437-444.
- Kumwenda, N. I., Hoover, D. R., Mofenson, L. M., Thigpen, M. C., Kafulafula, G., Li, Q., et al. (2008). Extended antiretroviral prophylaxis to reduce breast-milk HIV-1 transmission. *New England Journal of Medicine*, 359(2), 119-129.
- Labbok, M., & Krasovec, K. (1990). Toward consistency in breastfeeding definitions. *Studies in Family Planning*, 21(4), 226-230.

- Labraña, Y., Alvarez, A. M., Villarroel, J., & Wu, E. (2013). Premastication: a new way of transmitting HIV. First pediatric case reported in Chile. *Revista Chilena de Infectología: Organo Oficial de la Sociedad Chilena de Infectología*, 30(2), 221-222.
- Lallemant, M., Jourdain, G., Le Coeur, S., Kim, S., Koetsawang, S., Comeau, A. M., et al. (2000). A trial of shortened zidovudine regimens to prevent mother-to-child transmission of human immunodeficiency virus type 1. *New England Journal of Medicine*, 343(14), 982-991.
- Landesman, S. H., Kalish, L. A., Burns, D. N., Minkoff, H., Fox, H. E., Zorrilla, C., et al. (1996). Obstetrical factors and the transmission of human immunodeficiency virus type 1 from mother to child. *New England Journal of Medicine*, 334(25), 1617-1623.
- Latham, M., & Kisanga, P. (2001). Current status of protection, support and promotion of breastfeeding in four African countries - actions to protect, support, and promote breastfeeding in Kenya, Namibia, Botswana, and Uganda : based on a rapid review - 2 October to 3 November, 2000: UNICEF ESARO.
- Lawrence, R., & Lawrence, R. (1999). *Breastfeeding: a guide for the medical professional*. St. Louis: Mosby Inc.
- Linkages project. (2002). Exclusive breastfeeding: the only water source young infants need. FAQ sheet 5 frequently asked questions. Washington, DC: Academy for Educational Development. <http://www.tensteps.org/pdf/breastfeeding-faqs-water.pdf>
- Liotta, G., Mancinelli, S., Nielsen-Saines, K., Gennaro, E., Scarcella, P., Magid, N. A., et al. (2013). Reduction of maternal mortality with highly active antiretroviral therapy in a large cohort of HIV-infected pregnant women in Malawi and Mozambique. *PLoS One*, 8(8), e71653.
- Little, K. M., Kilmarx, P. H., Taylor, A. W., Rose, C. E., Rivadeneira, E. D., & Nesheim, S. R. (2012). A review of evidence for transmission of HIV from children to breastfeeding women and implications for prevention. *The Pediatric Infectious Disease Journal*, 31(9), 938-942.
- Liu, B., & Newburg, D. S. (2013). Human milk glycoproteins protect infants against human pathogens. *Breastfeeding Medicine*, 8(4), 354-362.
- Lunney, K. M., Iliff, P., Mutasa, K., Ntozini, R., Magder, L. S., Moulton, L. H., et al. (2010). Associations between breast milk viral load, mastitis, exclusive breast-feeding, and postnatal transmission of HIV. *Clinical Infectious Diseases*, 50(5), 762-769.
- Luzuriaga, K., & Mofenson, L. M. (2016). Challenges in the elimination of pediatric HIV-1 infection. *New England Journal of Medicine*, 374(8), 761-770.
- Manzi, M., Zachariah, R., Teck, R., Buhendwa, L., Kazima, J., Bakali, E., et al. (2005). High acceptability of voluntary counselling and HIV-testing but unacceptable loss to follow up in a prevention of mother-to-child HIV transmission programme in rural Malawi: scaling-up requires a different way of acting. *Tropical Medicine & International Health*, 10(12), 1242-1250.
- Marazzi, M. C., Nielsen-Saines, K., Buonomo, E., Scarcella, P., Germano, P., Majid, N. A., et al. (2009). Increased infant human immunodeficiency virus-type one free survival at one year of age in sub-saharan Africa with maternal use of highly active antiretroviral therapy during breastfeeding. *The Pediatric Infectious Disease Journal*, 28(6), 483-487.
- Marinda, P., Chibwe, N., Tambo, E., Lulanga, S., & Khayeka—Wandabwa, C. (2017). Challenges and opportunities of optimal breastfeeding in the context of HIV option B+ guidelines. *BMC Public Health*, 17(1), 541.
- Maritz, E. R., Kidd, M., & Cotton, M. F. (2011). Premasticating food for weaning African infants: a possible vehicle for transmission of HIV. *Pediatrics*, 128(3), e579-e590.
- Martín, V., Maldonado, A., Fernández, L., Rodríguez, J. M., & Connor, R. I. (2010). Inhibition of human immunodeficiency virus type 1 by lactic acid bacteria from human breastmilk. *Breastfeeding Medicine*, 5(4), 153-158.
- May, J., & ACLA. (1995). *Antiviral factors found in human milk*, Table 2. Paper presented at the Proceedings of Breast Milk and Special Care Nurseries: Problems and Opportunities Melbourne, Australia.
- Mbachu, I. I., Udigwe, G., Joseph, I., John, O., Samuel, U. O., Joseph, U., et al. (2015). The evaluation of accuracy of serial rapid HIV test algorithm in the diagnosis of HIV antibodies among pregnant women in south east Nigeria. *BMC Research Notes*, 8(1), 557.
- Mbuya, M. N., Humphrey, J. H., Majo, F., Chasekwa, B., Jenkins, A., Israel-Ballard, K., et al. (2010). Heat treatment of expressed breast milk is a feasible option for feeding HIV-exposed, uninfected children after 6 months of age in rural Zimbabwe. *The Journal of Nutrition*, 140(8), 1481-1488.
- McDermott, M. R., & Bienenstock, J. (1979). Evidence for a common mucosal immunologic system I. Migration of B immunoblasts into intestinal, respiratory, and genital tissues. *The Journal of Immunology*, 122(5), 1892-1898.
- Menon, L., & Amin, S. (2005). Breastfeeding: A Reproductive Health and Rights Issue. Penang: WABA.
- Mofenson, L. (1994). Epidemiology and determinants of vertical HIV transmission. *Seminars in Pediatric Infectious Diseases*, 5, 252-256.
- Mofenson, L. (2010a). Prevention in neglected subpopulations: prevention of mother-to-child transmission of HIV infection. *Clinical Infectious Diseases*, 50(Suppl 3), S130-S148.
- Mofenson, L. (2010b). Protecting the next generation—eliminating perinatal HIV-1 infection. *362(24)*, 2316-2318.

- Mofenson, L. (2014). *Reflexions on pediatric HIV infection – from epidemic to elimination*. Paper presented at the ImPAACT Network Annual Meeting, Arlington, VA.
- Moland, K. M., de Paoli, M. M., Sellen, D. W., van Esterik, P., Leshabari, S. C., & Blystad, A. (2010). Breastfeeding and HIV: experiences from a decade of prevention of postnatal HIV transmission in sub-Saharan Africa. *International Breastfeeding Journal*, 5(1), 10.
- Montaner, J. S., Lima, V. D., Harrigan, P. R., Lourenço, L., Yip, B., Nosyk, B., et al. (2014). Expansion of HAART coverage is associated with sustained decreases in HIV/AIDS morbidity, mortality and HIV transmission: the “HIV Treatment as Prevention” experience in a Canadian setting. *PLoS One*, 9(2), e87872.
- Morrison, P. (1999a). HIV and infant feeding: to breastfeed or not to breastfeed: the dilemma of competing risks. part 1. *Breastfeeding Review*, 7(2), 5.
- Morrison, P. (1999b). HIV and infant feeding: to breastfeed or not to breastfeed: the dilemma of competing risks. part 2. *Breastfeeding Review*, 7(3), 11.
- Morrison, P. (2010). *How to support first World HIV+ mothers who want to breastfeed*. Paper presented at the La Leche League of Basque Country: Fourth International Breastfeeding Symposium Breastfeeding in Special circumstances, Bilbao, Spain.
- Morrison, P., & Faulkner, Z. (2015). HIV and breastfeeding: the unfolding evidence. *Essentially MIDIRS*, 5(11), 7 - 12.
- Morrison, P., & Greiner, T. (2014). Letter to the Editor. *Health Care for Women International*, 35(10), 1109-1112.
- Morrison, P., Israel-Ballard, K., & Greiner, T. (2011). Informed choice in infant feeding decisions can be supported for HIV-infected women even in industrialized countries. *AIDS*, 25(15), 1807-1811.
- Morrow, A. L., Guerrero, M. L., Shults, J., Calva, J. J., Lutter, C., Bravo, J., et al. (1999). Efficacy of home-based peer counselling to promote exclusive breastfeeding: a randomised controlled trial. *The Lancet*, 353(9160), 1226-1231.
- Murila, F., Obimbo, M. M., Musoke, R., Tsikhutsu, I., Migiro, S., & Ogeng'o, J. (2015). Breast-feeding and human immunodeficiency virus infection: Assessment of knowledge among clinicians in Kenya. *International Journal of Nursing Practice*, 21(1), 37-42.
- Musheke, M., Bond, V., & Merten, S. (2013). Deterrents to HIV-patient initiation of antiretroviral therapy in urban Lusaka, Zambia: a qualitative study. *AIDS patient care and STDs*, 27(4), 231-241.
- Nagot, N., Kankasa, C., Meda, N., Hofmeyr, J., Nikodem, C., Tumwine, J. K., et al. (2012). Lopinavir/ritonavir versus lamivudine peri-exposure prophylaxis to prevent HIV-1 transmission by breastfeeding: the PROMISE-PEP trial Protocol ANRS 12174. *BMC Infectious Diseases*, 12(1), 246.
- Naicker, M., Coutsooudis, A., Israel-Ballard, K., Chaudhri, R., Perin, N., & Mlisana, K. (2015). Demonstrating the efficacy of the FoneAstra pasteurization monitor for human milk pasteurization in resource-limited settings. *Breastfeeding Medicine*, 10(2), 107-112.
- Natchu, U. C., Liu, E., Duggan, C., Msamanga, G., Peterson, K., Aboud, S., et al. (2012). Exclusive breastfeeding reduces risk of mortality in infants up to 6 mo of age born to HIV-positive Tanzanian women. *The American Journal of Clinical Nutrition*, 96(5), 1071-1078.
- National Breastfeeding Consultative Meeting. (2011). The Tshwane declaration for the support of breastfeeding in South Africa. *South African Journal of Clinical Nutrition*, 24(4).
- Nduati, R., John, G., Mbori-Ngacha, D., Richardson, B., Overbaugh, J., Mwachia, A., et al. (2000). Effect of breastfeeding and formula feeding on transmission of HIV-1: a randomized clinical trial. *JAMA*, 283(9), 1167-1174.
- Neville, M., & Neifert, M. (1983). *Lactation: physiology, nutrition, and breastfeeding* (2nd ed.). New York: Plenum Press.
- Newburg, D., & Yolken, R. (1992). Anti-HIV components of human milk. In Picciano, M. & Lonnerdal, B. (Eds.), *Mechanisms regulating lactation and infant nutrient utilization*. New York: Wiley-Liss.
- Newburg, D. S., Linhardt, R. J., Ampofo, S. A., & Yolken, R. H. (1995). Human milk glycosaminoglycans inhibit HIV glycoprotein gp120 binding to its host cell CD4 receptor. *The Journal of Nutrition*, 125(3), 419.
- Ngoma, M., Raha, A., Elong, A., Pilon, R., Mwansa, J., Mutale, W., et al. (2011, Sept 19). *Preliminary results of HIV transmission rates using a lopinavir/ritonavir based regimen and the new WHO breast feeding guidelines for PMTCT of HIV*. Paper presented at the 51st Interscience Congress on Antimicrobial Agents and Chemotherapy (ICAAC), Chicago, IL.
- Ngoma, M. S., Misir, A., Mutale, W., Rampakakis, E., Sampalis, J. S., Elong, A., et al. (2015). Efficacy of WHO recommendation for continued breastfeeding and maternal cART for prevention of perinatal and postnatal HIV transmission in Zambia. *Journal of the International AIDS Society*, 18(1), 19352.
- NIAID. (2006). NIAID-sponsored adult male circumcision trials in Kenya and Uganda: questions and answers. Retrieved 12 September, 2017, from <http://www.thebody.com/content/art39464.html>.
- Nyati, M., Kim, H.-Y., Goga, A., Violari, A., Kuhn, L., & Gray, G. (2014). Support for relactation among mothers of HIV-infected children: a pilot study in Soweto. *Breastfeeding Medicine*, 9(9), 450-457.
- Oddy, W. H. (2001). Breastfeeding protects against illness and infection in infants and children: a review of the evidence. *Breastfeeding Review*, 9(2), 11.

- Onyango-Makumbi, C., Bagenda, D., Mwatha, A., Omer, S. B., Musoke, P., Mmro, F., et al. (2010). Early weaning of HIV-exposed uninfected infants and risk of serious gastroenteritis: findings from two perinatal HIV prevention trials in Kampala, Uganda. *Journal of Acquired Immune Deficiency Syndromes*, 53(1), 20-27.
- Orloff, S., Wallingford, J., & McDougal, J. (1993). Inactivation of human immunodeficiency virus type I in human milk: effects of intrinsic factors in human milk and of pasteurization. *Journal of Human Lactation*, 9(1), 13-17.
- Pai, N. P., Sharma, J., Shivkumar, S., Pillay, S., Vadnais, C., Joseph, L., et al. (2013). Supervised and unsupervised self-testing for HIV in high-and low-risk populations: a systematic review. *PLoS Medicine*, 10(4), e1001414.
- Palombi, L., Luhanga, R., Galluzzo, C., Andreotti, M., Liotta, G., Ceffa, S., et al. (2011a). Limited risk of drug resistance after discontinuation of antiretroviral prophylaxis for the prevention of breastfeeding transmission of HIV. *Journal of Acquired Immune Deficiency Syndromes*, 57(4), 301-304.
- Palombi, L., Marazzi, M. C., Voetberg, A., & Magid, N. A. (2007). Treatment acceleration program and the experience of the DREAM program in prevention of mother-to-child transmission of HIV. *AIDS*, 21(Suppl 4), S65-S71.
- Palombi, L., Nielsen-Saines, K., Giuliano, M., & Marazzi, M. C. (2011b). Easier said than done: World Health Organization recommendations for prevention of mother-to-child transmission of HIV—areas of concern. *AIDS Research and Human Retroviruses*, 27(8), 807-808.
- Panel on Treatment of Pregnant Women with HIV Infection and Prevention of Perinatal Transmission. (2017). Recommendations for the use of antiretroviral drugs in pregnant women with HIV infection and interventions to reduce perinatal HIV transmission in the United States - intrapartum care transmission and mode of delivery. Retrieved September 12, 2017, from <https://aidsinfo.nih.gov/guidelines/html/3/perinatal-guidelines/182/transmission-and-mode-of-delivery>.
- Paredes, R., Marconi, V. C., Lockman, S., Abrams, E. J., & Kuhn, L. (2013). Impact of antiretroviral drugs in pregnant women and their children in Africa: HIV resistance and treatment outcomes. *The Journal of Infectious Diseases*, 207(Suppl 2), S93-S100.
- Patel, S. V., Shisana, O., Kim, E., Hakim, A., Brewinski, M., Kissin, D., et al. (2010). Filling a gap: HIV pediatric surveillance in resource constrained settings. *Journal of HIV/AIDS Surveillance & Epidemiology*, 2, 6.
- PATH. (2011). Strengthening human milk banking – ensuring safety and quality. <http://www.hmbasa.org.za/wp-content/uploads/2015/02/PATH-Milk-banking-safety-quality.pdf>
- Pebody, R. (2012). Rapid 'combination' test fails to detect many cases of acute HIV infection. From <http://www.aidsmap.com/Rapid-combination-test-fails-to-detect-many-cases-of-acute-HIV-infection/page/2204685/>.
- Peltier, C. A., Ndayisaba, G. F., Lepage, P., van Griensven, J., Leroy, V., Pharm, C. O., et al. (2009). Breastfeeding with maternal antiretroviral therapy or formula feeding to prevent HIV postnatal mother-to-child transmission in Rwanda. *AIDS*, 23(18), 2415.
- Perinatal Transmission Prevention Guideline Committee. (2017). Universal HIV screening for pregnant women. Retrieved 12 September, 2017, from https://www.hivguidelines.org/pregnancy-and-hiv/hiv-testing-pregnancy-and-delivery/#tab_2.
- Permar, S. R., Wilks, A. B., Ehlinger, E. P., Kang, H. H., Mahlokozera, T., Coffey, R. T., et al. (2010). Limited contribution of mucosal IgA to simian immunodeficiency virus (SIV)-specific neutralizing antibody response and virus envelope evolution in breast milk of SIV-infected, lactating rhesus monkeys. *Journal of Virology*, 84(16), 8209-8218.
- Phadke, M. A., Gadgil, B., Bharucha, K. E., Shrotri, A. N., Sastry, J., Gupte, N. A., et al. (2003). Replacement-fed infants born to HIV-infected mothers in India have a high early postpartum rate of hospitalization. *The Journal of Nutrition*, 133(10), 3153-3157.
- Phiri, W., Kasonka, L., Collin, S., Makasa, M., Sinkala, M., Chintu, C., et al. (2006). Factors influencing breast milk HIV RNA viral load among Zambian women. *AIDS Research and Human Retroviruses*, 22(7), 607-614.
- Pillay, Y. (2017). Circular minute no.3 of 2017/2018 HIV/AIDS, TB & MCWH: admenment of the 2013 infant and young child feeding (IYCF) policy. Pretoria: Department of Health.
- Piwoz, E. (2002). Paper presented at the UNICEF/WABA HIV Colloquium, Tanzania.
- Prameela, K., & Mohamed, A. (2010). Breast milk immunoprotection and the common mucosal immune system: a review. *Malaysian Journal of Nutrition*, 16(1), 1-11.
- Preble, E. A., & Piwoz, E. G. (2000). HIV and infant feeding: a chronology of research and policy advances and their implications for programs: The Linkages Project and the Support for Analysis and Research in Africa (SARA) Project, The Academy for Educational Development, USAID Bureau for Africa.
- Riordan, J., & Auerbach, K. G. (1999). Breastfeeding and human lactation (2nd ed.). Boston: Jones and Bartlett Publishers.
- Rodger, A., Bruun, T., Cambiano, V., Vernazza, P., Estrada, V., Van Lunzen, J., et al. (2014). HIV transmission risk through condomless sex if HIV+ partner on suppressive ART: PARTNER Study (Abstract no. 153LB). Paper presented at the 21st Conference on Retroviruses and Opportunistic Infections, Boston, MA.
- Roser, M. (2017). HIV/AIDS. Retrieved 12 September, 2017, from <https://ourworldindata.org/hiv-aids>.

- Rossenkhan, R., Ndung'u, T., Sebunya, T. K., Hagan, J. E., Shapiro, R., Novitsky, V., et al. (2009). Temporal reduction of HIV type 1 viral load in breast milk by single-dose nevirapine during prevention of MTCT. *AIDS Research and Human Retroviruses*, 25(12), 1261-1264.
- Roux, M., McWilliams, M., Phillips-Quagliata, J. M., Weisz-Carrington, P., & Lamm, M. (1977). Origin of IgA-secreting plasma cells in the mammary gland. *Journal of Experimental Medicine*, 146(5), 1311-1322.
- Roxby, A. C., Unger, J. A., Slyker, J. A., Kinuthia, J., Lewis, A., John-Stewart, G., et al. (2014). A lifecycle approach to HIV prevention in African women and children. *Current HIV/AIDS Reports*, 11(2), 119-127.
- Save the Children. (2012). Nutrition in the first 1,000 days: state of the world's mothers 2012: Save the Children Fairfield. <https://www.savethechildren.org/content/dam/usa/reports/advocacy/sowm/sowm-2012.pdf>
- Semba, R. D., Kumwenda, N., Hoover, D. R., Taha, T. E., Quinn, T. C., Mtimavalye, L., et al. (1999a). Human immunodeficiency virus load in breast milk, mastitis, and mother-to-child transmission of human immunodeficiency virus type 1. *The Journal of Infectious Diseases*, 180(1), 93-98.
- Semba, R. D., Kumwenda, N., Taha, T. E., Hoover, D. R., Quinn, T. C., Lan, Y., et al. (1999b). Mastitis and immunological factors in breast milk of human immunodeficiency virus-infected women. *Journal of Human Lactation*, 15(4), 301-306.
- Semrau, K., Kuhn, L., Brooks, D. R., Cabral, H., Sinkala, M., Kankasa, C., et al. (2011). Exclusive breastfeeding, maternal HIV disease, and the risk of clinical breast pathology in HIV-infected, breastfeeding women. *American Journal of Obstetrics and Gynecology*, 205(4), 344.e341-348.
- Shapiro, R. L., Hughes, M., Ogwu, A., Kitch, D., Lockman, S., Moffat, C., et al. (2010). Antiretroviral regimens in pregnancy and breast-feeding in Botswana. *New England Journal of Medicine*, 362(24), 2282-2294.
- Shapiro, R. L., Smeaton, L., Lockman, S., Thior, I., Rossenkhan, R., Wester, C., et al. (2009). Risk factors for early and late transmission of HIV via breast-feeding among infants born to HIV-infected women in a randomized clinical trial in Botswana. *The Journal of Infectious Diseases*, 199(3), 414-418.
- Sibeko, L., Coutoudis, A., Nzuzza, S., & Gray-Donald, K. (2008). *Heat-treated expressed breast milk is a feasible feeding option for South African mothers living with HIV: a mixed methods approach (Abstract no. MOPE0507)*. Paper presented at the AIDS 2008 XVII International AIDS Conference, Mexico City, Mexico.
- Siemieniuk, R. A., Lytvyn, L., Ming, J. M., Mullen, R. M., Anam, F., Otieno, T., et al. (2017). Antiretroviral therapy in pregnant women living with HIV: a clinical practice guideline. *BMJ*, 358, j3961.
- Sint, T. T., Lovich, R., Hammond, W., Kim, M., Melillo, S., Lu, L., et al. (2013). Challenges in infant and young child nutrition in the context of HIV. *AIDS*, 27(Suppl 2), S169-S177.
- Slater, M., Stringer, E. M., & Stringer, J. S. (2010). Breastfeeding in HIV-positive women: what can be recommended? *Pediatric Drugs*, 12(1), 1-9.
- Slyker, J. A., Chung, M. H., Lehman, D. A., Kiarie, J., Kinuthia, J., Holte, S., et al. (2012). Incidence and correlates of HIV-1 RNA detection in the breast milk of women receiving HAART for the prevention of HIV-1 transmission. *PLoS One*, 7(1), e29777.
- Smith, M. M., & Kuhn, L. (2000). Exclusive breast-feeding: does it have the potential to reduce breast-feeding transmission of HIV-1? *Nutrition Reviews*, 58(11), 333-340.
- Ssebagala, K., Tom, L., Wawer, M., Sserwadda, D., Reynolds, S., Nalugoda, F., et al. (2017). A comparative assessment of the EIA/PCR HIV test results among weakly reactive samples on any of determine HIV1/2, Statpak and Unigold rapid test kits. *Journal of AIDS and Clinical Research*, 8(3).
- Stuebe, A. (2009). The risks of not breastfeeding for mothers and infants. *Reviews in Obstetrics and Gynecology*, 2(4), 222-231.
- Sugandhi, N., Rodrigues, J., Kim, M., Ahmed, S., Amzel, A., Tolle, M., et al. (2013). HIV exposed infants: rethinking care for a lifelong condition. *AIDS*, 27(Suppl 2), S187-S195.
- SWEN study team. (2008). Extended-dose nevirapine to 6 weeks of age for infants to prevent HIV transmission via breastfeeding in Ethiopia, India, and Uganda: an analysis of three randomised controlled trials. *The Lancet*, 372(9635), 300-313.
- Tenthani, L., Haas, A. D., Tweya, H., Jahn, A., van Oosterhout, J. J., Chimbwandira, F., et al. (2014). Retention in care under universal antiretroviral therapy for HIV infected pregnant and breastfeeding women ("Option B+") in Malawi. *AIDS*, 28(4), 589.
- The Italian Register for HIV Infection in Children. (1994). Human immunodeficiency virus type 1 infection and breast milk. *Acta Paediatrica*, 83(S400), 51-58.
- The Well Project. (2016). Nutrition and HIV. Retrieved 12 September, 2017, from <http://www.thewellproject.org/hiv-information/nutrition-and-hiv>.
- Thior, I., Lockman, S., Smeaton, L. M., Shapiro, R. L., Wester, C., Heymann, S. J., et al. (2006). Breastfeeding plus infant zidovudine prophylaxis for 6 months vs formula feeding plus infant zidovudine for 1 month to reduce mother-to-child HIV transmission in Botswana: a randomized trial: the Mashi Study. *JAMA*, 296(7), 794-805.

- Thistle, P., Bolotin, S., Lam, E., Schwarz, D., Pilon, R., Ndawana, B., et al. (2011). Highly active anti-retroviral therapy in the prevention of mother-to-child transmission of HIV in rural Zimbabwe during the socio-economic crisis. *Medicine, Conflict and Survival*, 27(3), 165-176.
- Thomas, T. K., Masaba, R., Borkowf, C. B., Ndivo, R., Zeh, C., Misore, A., et al. (2011). Triple-antiretroviral prophylaxis to prevent mother-to-child HIV transmission through breastfeeding—the Kisumu breastfeeding study, Kenya: a clinical trial. *PLoS Medicine*, 8(3), e1001015.
- Townsend, C., Cortina-Borja, M., Peckham, C., & Tookey, P. (2008a). Trends in management and outcome of pregnancies in HIV-infected women in the UK and Ireland, 1990–2006. *BJOG: An International Journal of Obstetrics & Gynaecology*, 115(9), 1078-1086.
- Townsend, C. L., Cortina-Borja, M., Peckham, C. S., de Ruiter, A., Lyall, H., & Tookey, P. A. (2008b). Low rates of mother-to-child transmission of HIV following effective pregnancy interventions in the United Kingdom and Ireland, 2000–2006. *AIDS*, 22(8), 973-981.
- Tuaille, E., Valea, D., Becquart, P., Al Tabaa, Y., Meda, N., Bollore, K., et al. (2009). Human milk-derived B cells: a highly activated switched memory cell population primed to secrete antibodies. *The Journal of Immunology*, 182(11), 7155-7162.
- Tudor-Williams, G. (2010, 20–23 April). *Changing UK practice: influence from resource-poor setting, including new infant feeding guidance*, Plenary Session 3. Paper presented at the Second Joint Conference of the British HIV Association (BHIVA) and the British Association for Sexual Health and HIV (BASHH) Plenary Session 3. April 20-23, 2010, Imperial College London-Manchester Central Convention Complex, UK.
- UN. (2015). Report of the executive director of the Joint United Nations Programme on HIV/AIDS. <https://reliefweb.int/sites/reliefweb.int/files/resources/N1502403.pdf>
- UNAIDS. (2010c). Global report: UNAIDS report on the global AIDS epidemic 2010. Geneva: UNAIDS. http://www.unaids.org/globalreport/documents/20101123_GlobalReport_full_en.pdf
- UNAIDS. (2011a). Countdown to zero: global plan towards the elimination of new HIV infections among children by 2015 and keeping their mothers alive. Geneva: UNAIDS. http://files.unaids.org/en/media/unaids/contentassets/documents/unaidspublication/2011/20110609_JC2137_Global-Plan-Elimination-HIV-Children_en.pdf
- UNAIDS. (2011b). World leaders launch plan to eliminate new HIV infections among children by 2015. Retrieved 12 September, 2017, from <http://www.unaids.org/en/resources/presscentre/pressreleaseandstatementarchive/2011/june/20110609prglobalplanchildren/>.
- UNAIDS. (2014). The gap report. Geneva: UNAIDS. http://www.unaids.org/sites/default/files/media_asset/UNAIDS_Gap_report_en.pdf
- UNAIDS. (2015). How AIDS changed everything. MDG 6: 15 years, 15 lessons of hope from the AIDS response. Geneva: UNAIDS. http://www.unaids.org/sites/default/files/media_asset/MDG6Report_en.pdf
- UNAIDS. (2016b). Global AIDS update 2016. Geneva: UNAIDS. http://www.unaids.org/sites/default/files/media_asset/global-AIDS-update-2016_en.pdf
- UNAIDS. (2016c). Prevention gap report. Geneva: UNAIDS. http://www.unaids.org/sites/default/files/media_asset/2016-prevention-gap-report_en.pdf
- UNAIDS. (2017a). Fact sheet - World AIDS day 2017. UNAIDS. http://www.unaids.org/sites/default/files/media_asset/UNAIDS_FactSheet_en.pdf
- UNAIDS. (2017d). Public health and HIV viral load suppression. Geneva: UNAIDS. http://www.unaids.org/sites/default/files/media_asset/20170724_viral_load_suppression_brochure.pdf
- UNAIDS. (2017e). Start free stay free AIDS free. Geneva: UNAIDS. http://www.unaids.org/sites/default/files/media_asset/Stay_free_vision_mission_En.pdf
- UNAIDS, PEPFAR, UNICEF, & WHO. (2016). On the fast-track to an AIDS-free generation. Geneva: UNAIDS. http://www.unaids.org/sites/default/files/media_asset/GlobalPlan2016_en.pdf
- UNICEF. (2011). Programming guide to infant and young child feeding. New York: UNICEF. https://www.unicef.org/nutrition/files/Final_IYCF_programming_guide_2011.pdf
- UNICEF. (2014b). Thematic report 2013 - HIV/AIDS and children. New York: UNICEF. https://www.unicef.org/publicpartnerships/files/HIVAIDS_and_Children_2013_Thematic_Report.pdf
- UNICEF. (2017). Community based infant and young child feeding materials. Retrieved 12 September, 2017, from https://www.unicef.org/nutrition/index_58362.html
- UNICEF, WHO, World Bank, & UN. (2011). Levels & trends in child mortality - report 2011. New York: UNICEF. https://www.unicef.org/media/files/Child_Mortality_Report_2011_Final.pdf
- USAID, CGBI, & IYCN. (2012). Community interventions to promote optimal breastfeeding - evidence on early initiation, any breastfeeding, exclusive breastfeeding, and continued breastfeeding. http://www.iycn.org/files/IYCN_Literature_Review_Community_Breastfeeding_Interventions_Feb_121.pdf
- USAID, PATH, & IYCN. (2010a). Infant and young child feeding and gender – a participant manual for male group leaders. http://www.iycn.org/files/IYCN_Mens-Groups-IYCF-Participant-Manual_0311.pdf
- USAID, PATH, & IYCN. (2011a). Mother-to-mother support groups: facilitator’s manual with discussion guide. http://www.iycn.org/files/IYCN_Mother-to-Mother-Support-Group-Facilitator-Manual_0311.pdf

- USAID, PATH, & IYCN. (2011b). Mother-to-mother support groups: trainer's manual. http://www.iycn.org/files/IYCN_Mother-to-Mother-Support-Group-Training-Manual_0311.pdf
- USAID, PATH, SWAK, & IYCN. (2010b). Infant feeding and HIV – participant's manual for community-based workers and volunteers http://www.iycn.org/files/IYCN_SWAK-Participant-Manual_0711.pdf
- USAID, The Grandmother Project, & IYCN. (2010c). The roles and influence of grandmothers and men - evidence supporting a family-focused approach to optimal infant and young child nutrition. <http://www.iycn.org/files/IYCN-GM-and-Men-Lit-Review-060311.pdf>
- Våga, B. B., Moland, K. M., Evjen-Olsen, B., & Blystad, A. (2014). Reflections on informed choice in resource-poor settings: the case of infant feeding counselling in PMTCT programmes in Tanzania. *Social Science & Medicine*, 105, 22-29.
- Van de Perre, P., Simonon, A., Karita, E., Butera, J.-B., Hitimana, D.-G., Mukamabano, B., et al. (1993). Infective and anti-infective properties of breastmilk from HIV-1-infected women. *The Lancet*, 341(8850), 914-918.
- Vernazza, P., Hirschel, B., Bernasconi, E., & Flepp, M. (2008). Les personnes séropositives ne souffrant d'aucune autre MST et suivant un traitement antirétroviral efficace ne transmettent pas le VIH par voie sexuelle. *Bulletin des médecins suisses* | *Schweizerische Ärztezeitung* | *Bollettino dei medici svizzeri*, 89(5), 165-169.
- Victora, C., Vaughan, J. P., Lombardi, C., Fuchs, S. C., Gigante, L., Smith, P., et al. (1987). Evidence for protection by breast-feeding against infant deaths from infectious diseases in Brazil. *The Lancet*, 330(8554), 319-322.
- Victora, C. G., Bahl, R., Barros, A. J., França, G. V., Horton, S., Krasevec, J., et al. (2016). Breastfeeding in the 21st century: epidemiology, mechanisms, and lifelong effect. *The Lancet*, 387(10017), 475-490.
- Vitiello, M., & Willard, S. (2010). Stating the obvious—nurses: critical link to women and children affected by HIV/AIDS: a response to the revised WHO HIV treatment guidelines. *AIDS*, 24(12), 1967-1968.
- WABA. (2007). *A matter of life or death - the untold story of HIV, breastfeeding and child survival*. Paper presented at the Conference on Global Media Strategies for HIV and AIDS Kuala Lumpur, Malaysia. <http://www.waba.org.my/whatwedo/hiv/pdf/MediaConferenceHandouMay2007.pdf>
- Wahl, A., Swanson, M. D., Nochi, T., Olesen, R., Denton, P. W., Chateau, M., et al. (2012). Human breast milk and antiretrovirals dramatically reduce oral HIV-1 transmission in BLT humanized mice. *PLoS Pathogens*, 8(6), e1002732.
- Walker, A. S., Mulenga, V., Sinyinza, F., Lishimpi, K., Nunn, A., Chintu, C., et al. (2006). Determinants of survival without antiretroviral therapy after infancy in HIV-1-infected Zambian children in the CHAP trial. *Journal of Acquired Immune Deficiency Syndromes*, 42(5), 637-645.
- Walls, T., Palasanthiran, P., Studdert, J., Moran, K., & Ziegler, J. B. (2010). Breastfeeding in mothers with HIV. *Journal of Paediatrics and Child Health*, 46(6), 349-352.
- Wax, J. R. (2006). Maternal request cesarean versus planned spontaneous vaginal delivery: maternal morbidity and short term outcomes. *Seminars in Perinatology*, 30(5), 247-252.
- Wellstart International. (2005). Infant and young child feeding in emergency situations http://www.wellstart.org/Infant_feeding_emergency.pdf
- WHO. (1981). International Code of Marketing of Breast-Milk Substitutes. Geneva: World Health Organisation. http://www.who.int/nutrition/publications/code_english.pdf
- WHO. (2001). The optimal duration of exclusive breastfeeding: report of an expert consultation. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/handle/10665/67219/WHO_NHD_01.09.pdf?sequence=1
- WHO. (2006). Home-modified animal milk for replacement feeding: Is it feasible and safe? http://www.who.int/maternal_child_adolescent/documents/a91064/en/
- WHO. (2008). The International Code of Marketing of Breast-Milk Substitutes - frequently asked questions. Geneva: World Health Organization. http://www.who.int/iris/bitstream/10665/43947/1/9789241594295_eng.pdf?ua=1
- WHO. (2009b). HIV and infant feeding: revised principles and recommendations rapid advice. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/handle/10665/44251/9789241598873_eng.pdf?sequence=1
- WHO. (2009c). Infant and young child feeding - model chapter for textbooks for medical students and allied health professionals. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/10665/44117/1/9789241597494_eng.pdf?ua=1
- WHO. (2009d). Rapid advice: use of antiretroviral drugs for treating pregnant women and preventing HIV Infection in infants. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/handle/10665/44249/9789241598934_eng.pdf?sequence=1
- WHO. (2009e). Women and health: today's evidence tomorrow's agenda. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/handle/10665/44168/9789241563857_eng.pdf?jsessionid=AC280F2A494A672B87C00A6328B3B5CE?sequence=1

- WHO. (2010a). Antiretroviral drugs for treating pregnant women and preventing HIV infection in infants: recommendations for a public health approach. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/handle/10665/75236/9789241599818_eng.pdf?sequence=1
- WHO. (2010b). Antiretroviral therapy for HIV infection in infants and children: towards universal access. Executive summary of recommendations. Preliminary version for programme planning. Geneva: World Health Organization. <http://www.who.int/hiv/pub/paediatric/paed-prelim-summary.pdf>
- WHO. (2010c). Countdown to 2015 decade report (2000–2010) - taking stock of maternal, newborn and child survival. Geneva: World Health Organization. <http://www.who.int/pmnch/topics/child/CountdownReportOnly.pdf?ua=1>
- WHO. (2010d). Priority interventions: HIV/AIDS prevention, treatment and care in the health sector. Geneva: World Health Organization. http://www.who.int/hiv/pub/guidelines/9789241500234_eng.pdf
- WHO. (2011). Global health sector strategy on HIV/AIDS 2011–2015. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/handle/10665/44606/9789241501651_eng.pdf?sequence=1
- WHO. (2012a). Guidance on couples HIV testing and counselling including antiretroviral therapy for treatment and prevention in serodiscordant couples: recommendations for a public health approach. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/handle/10665/44646/9789241501972_eng.pdf?sequence=1
- WHO. (2012c). Programmatic update - use of antiretroviral drugs for treating pregnant women and preventing HIV infection in infants. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/handle/10665/70892/WHO_HIV_2012.6_eng.pdf?sequence=2&isAllowed=y
- WHO. (2013a). Consolidated guidelines on the use of antiretroviral drugs for treating and preventing HIV infection: recommendations for a public health approach. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/handle/10665/85321/9789241505727_eng.pdf?sequence=1
- WHO. (2014a). March 2014 supplement to the 2013 consolidated guidelines on the use of antiretroviral drugs for treating and preventing HIV infection: recommendations for a public health approach. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/handle/10665/104264/9789241506830_eng.pdf?sequence=1
- WHO. (2016a). Code and subsequent resolutions. <http://www.who.int/nutrition/netcode/resolutions/en/>
- WHO. (2016b). Consolidated guidelines on HIV prevention, diagnosis, treatment and care for key populations – 2016 update. Geneva: World Health Organization. <http://apps.who.int/iris/bitstream/handle/10665/246200/9789241511124-eng.pdf?sequence=1>
- WHO. (2016c). Consolidated guidelines on the use of antiretroviral drugs for treating and preventing HIV infection: recommendations for a public health approach (2nd ed.). Geneva: World Health Organization. http://apps.who.int/iris/bitstream/handle/10665/208825/9789241549684_eng.pdf?sequence=1
- WHO. (2017d). Global Health Observatory (GHO) data - HIV/AIDS. Retrieved 12 September, 2017, from <http://www.who.int/gho/hiv/en/>.
- WHO. (2017f). Guidelines on the public health response to pretreatment HIV drug resistance. Geneva: World Health Organization. <http://apps.who.int/iris/bitstream/10665/255880/1/9789241550055-eng.pdf>
- WHO. (2017g). HIV drug resistance infographics. <http://www.who.int/hiv/pub/guidelines/hivdr-guidelines-2017-infographic/en/>
- WHO, & FAO. (2007). Safe preparation, storage and handling of powdered infant formula: guidelines. Geneva: World Health Organization. http://www.who.int/foodsafety/publications/micro/pif_guidelines.pdf
- WHO, & UNAIDS. (2007). Guidance on provider-initiated HIV testing and counselling in health facilities. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/handle/10665/43688/9789241595568_eng.pdf;jsessionid=0B320D517635EDA7535DFE97FA29FEC6?sequence=1
- WHO, UNAIDS, UNFPA, & UNICEF. (2010). Guidelines on HIV and infant feeding 2010: principles and recommendations for infant feeding in the context of HIV and a summary of evidence. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/handle/10665/44345/9789241599535_eng.pdf?sequence=1
- WHO, UNAIDS, & UNICEF. (2011). Global HIV/AIDS response: epidemic update and health sector progress towards universal access: progress report 2011. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/handle/10665/44787/9789241502986_eng.pdf?sequence=1
- WHO, & UNICEF. (1993). Breastfeeding counselling: a training course. Geneva: World Health Organization. http://www.who.int/maternal_child_adolescent/documents/who_cdr_93_3/en/

- WHO, & UNICEF. (2003). Global strategy for infant and young child feeding. Geneva: World Health Organization. <http://apps.who.int/iris/bitstream/handle/10665/42590/9241562218.pdf;jsessionid=D0DA55BB1E0381EA44FBBE8104818585?sequence=1>
- WHO, & UNICEF. (2007). HIV and infant feeding: update based on the technical consultation held on behalf of the Inter-agency Task Team (IATT) on Prevention of HIV infections in pregnant women, Mothers and their Infants, Geneva, 25-27 October 2006. Geneva: World Health Organization. <http://apps.who.int/iris/handle/10665/43747>
- WHO, & UNICEF. (2009). Acceptable medical reasons for use of breast-milk substitutes. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/handle/10665/69938/WHO_FCH_CAH_09.01_eng.pdf?sequence=1
- WHO, & UNICEF. (2016). Guideline: updates on HIV and infant feeding: the duration of breastfeeding, and support from health services to improve feeding practices among mothers living with HIV. Geneva: World Health Organization. <http://apps.who.int/iris/bitstream/handle/10665/246260/9789241549707-eng.pdf?sequence=1>
- WHO, UNICEF, FAO, IAEA, PEPFAR, UNAIDS, et al. (2012). WHO guidelines on HIV and infant feeding 2010: an updated framework for priority action. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/handle/10665/75152/FWC_MCA_12.1_eng.pdf?sequence=1
- WHO, UNICEF, & USAID. (2005). HIV and infant feeding counselling tools: reference guide. Geneva: World Health Organization. <http://apps.who.int/iris/bitstream/10665/43191/1/9241593016.pdf>
- WHO Collaborative Study Team on the Role of Breastfeeding on the Prevention of Infant Mortality. (2000). Effect of breastfeeding on infant and child mortality due to infectious diseases in less developed countries: a pooled analysis. *The Lancet*, 355(9202), 451-455.
- Wiktor, S. Z., Ekpini, E., Karon, J. M., Nkengasong, J., Maurice, C., Severin, S. T., et al. (1999). Short-course oral zidovudine for prevention of mother-to-child transmission of HIV-1 in Abidjan, Cote d'Ivoire: a randomised trial. *The Lancet*, 353(9155), 781-785.
- Williams, B. (2010). HIV-free survival in infants - ARV and breastfeeding or replacement feeding: what is the best strategy? Annexure 7 to guidelines on HIV and infant feeding. http://www.who.int/maternal_child_adolescent/documents/9789241599535_annex_7a.pdf
- Williams, C. (2003). Breastfeeding and family foods: loving and healthy - feeding other foods while breastfeeding is continued. WABA World Breastfeeding Week 2005 Action Folder. Penang: WABA. <http://www.waba.org.my/whatwedo/wbw/wbw05/actionfolder.pdf>
- Willumsen, J. F., Filteau, S. M., Coutoudis, A., Newell, M.-L., Rollins, N. C., Coovadia, H. M., et al. (2003). Breastmilk RNA viral load in HIV-infected South African women: effects of subclinical mastitis and infant feeding. *AIDS*, 17(3), 407-414.
- Yezingane Network, & UNICEF. (2011). Infant feeding in the context of HIV in South Africa - questions and answers. http://www.sahivsoc.org/FileUpload/Infant_feeding_FAQ_July_2011.pdf
- Young, S. L., Mbuya, M. N., Chantry, C. J., Geubbels, E. P., Israel-Ballard, K., Cohan, D., et al. (2011). Current knowledge and future research on infant feeding in the context of HIV: basic, clinical, behavioral, and programmatic perspectives. *Advances in Nutrition*, 2(3), 225-243.
- Young, S. L., Plenty, A. H., Luwedde, F. A., Natamba, B. K., Natureeba, P., Achan, J., et al. (2014). Household food insecurity, maternal nutritional status, and infant feeding practices among HIV-infected Ugandan women receiving combination antiretroviral therapy. *Maternal and Child Health Journal*, 18(9), 2044-2053.
- Zash, R., Jacobson, D. L., Diseko, M., Mayondi, G., Mmalane, M., Essex, M., et al. (2017). Comparative safety of antiretroviral treatment regimens in pregnancy. *JAMA Pediatrics*, 171(10), e172222.
- Ziegler, J., Johnson, R., Cooper, D., Gold, J., & The Sydney AIDS Study Group. (1985). Postnatal transmission of AIDS-associated retrovirus from mother to infant. *The Lancet*, 325(8434), 896-898.

ADDITIONAL RESOURCES

- Aidsfonds. (2011). Addressing the needs of young people living with HIV - a guide for professionals. http://www.stopaidsnow.org/sites/stopaidsnow.org/files/PY_Adressing%20the%20needs%20of%20young%20people%20living%20with%20HIV.pdf
- AVERT. (2017b). HIV and AIDS in East and Southern Africa regional overview. Retrieved 5 April, 2018, from <https://www.avert.org/professionals/hiv-around-world/sub-saharan-africa/overview>.
- Barenes, H., Slesak, G., Goyet, S., Aaron, P., & Srour, L. M. (2016). Enforcing the International Code of Marketing of Breast-Milk Substitutes for better promotion of exclusive breastfeeding: can lessons be learned? *Journal of Human Lactation*, 32(1), 20-27.
- Blais, P., Sirivar, S., & Seto, J. (2017). Supporting implementation research to improve coverage and uptake of HIV related interventions. *Journal of Acquired Immune Deficiency Syndromes*, 75, S109-S110.
- BPNI, & IBFAN. (2015). The '4 in 1' training programme: capacity building initiative for building health workers' skills in infant and young child feeding counseling. Delhi: BPNI. <http://bpni.org/Training/4-in-1-brochure.pdf>

- Cataldo, F., Sam-Agudu, N. A., Phiri, S., Shumba, B., Cornelius, L. J., & Foster, G. (2017). The roles of expert mothers engaged in prevention of mother-to-child transmission (PMTCT) programs: a commentary on the INSPIRE studies in Malawi, Nigeria, and Zimbabwe. *Journal of Acquired Immune Deficiency Syndromes*, 75, S224-S232.
- Cavarelli, M., & Scarlatti, G. (2011). Human immunodeficiency virus type 1 mother-to-child transmission and prevention: successes and controversies. *Journal of Internal Medicine*, 270(6), 561-579.
- Chantry, C. J., Eglash, A., & Labbok, M. (2015). ABM position on breastfeeding - revised 2015. *Breastfeeding Medicine*, 10(9), 407-411.
- Ching, C., & IBFAN-ICDC. (2017). Overview: breaking the rules, stretching the rules 2017. *World Nutrition*, 8(2), 323-330.
- Clark, D. L. (2017). Avoiding conflict of interest in the field of infant and young child nutrition: better late than never. *World Nutrition*, 8(2), 284-287.
- Committee on Pediatric AIDS. (2013). Infant feeding and transmission of human immunodeficiency virus in the United States. *Pediatrics*, 131(2), 391-396.
- Department of Reproductive Health and Research, UNDP/UNFPA/UNICEF/WHO/World Bank Special Programme of Research, & Development and Research Training in Human Reproduction. (2016). Annual technical report 2015. <http://apps.who.int/iris/bitstream/10665/246092/1/WHO-RHR-HRP-16.08-eng.pdf>
- Erlwanger, A. S., Joseph, J., Gatora, T., Muzunze, B., Orne-Gliemann, J., Mukungunugwa, S., et al. (2017). Patterns of HIV care clinic attendance and adherence to antiretroviral therapy among pregnant and breastfeeding women living with HIV in the context of Option B+ in Zimbabwe. *Journal of Acquired Immune Deficiency Syndromes*, 75(Suppl 2), S198-S206.
- European AIDS Clinical Society. (2017). EACS guidelines version 9.0 October 2017. http://www.eacsociety.org/files/guidelines_9.0-english.pdf
- Every Women Every Child. (2015). The global strategy for women's, children's and adolescents' health (2016-2030). <http://www.who.int/life-course/partners/global-strategy/ewec-globalstrategyreport-200915.pdf?ua=1>
- Foster, G., Orne-Gliemann, J., Font, H., Kangwende, A., Magezi, V., Sengai, T., et al. (2017). Impact of facility-based mother support groups on retention in care and PMTCT outcomes in rural Zimbabwe: The EPAZ cluster-randomized controlled trial. *Journal of Acquired Immune Deficiency Syndromes*, 75(Suppl 2), S207-S215.
- Grabowski, M. K., Serwadda, D. M., Gray, R. H., Nakigozi, G., Kigozi, G., Kagaayi, J., et al. (2017). HIV prevention efforts and incidence of HIV in Uganda. *New England Journal of Medicine*, 377(22), 2154-2166.
- Gunda, A., Jousset, A., Tchereni, T., Joseph, J., & Mwapasa, V. (2017). Integrating HIV and maternal, neonatal and child health services in rural Malawi: an evaluation of the implementation processes and challenges. *Journal of Acquired Immune Deficiency Syndromes*, 75, S132-S139.
- Horta, B. L., Bahl, R., Martines, J., & Victora, C. (2007). Evidence on the long-term effects of breastfeeding - systematic reviews and meta-analyses. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/10665/43623/1/9789241595230_eng.pdf
- Hosseinipour, M., Nelson, J. A., Trapence, C., Rutstein, S. E., Kasende, F., Kayoyo, V., et al. (2017). Viral suppression and HIV drug resistance at 6 months among women in Malawi's Option B+ program: results from the PURE Malawi study. *Journal of Acquired Immune Deficiency Syndromes*, 75(Suppl 2), S149-S155.
- IATT, IPPF, UNFPA, UNICEF, & WHO. (2013a). Eliminating mother-to-child transmission of HIV and keeping their mothers alive: job aid for healthcare workers. https://www.unfpa.org/sites/default/files/resource-pdf/IATT-EMTCTJobAid_WEB_0.pdf
- IBFAN, & BPNI. (2015). HIV and infant feeding - global status of policy and programmes based on world breastfeeding trends initiative assessment findings from 57 countries. <http://worldbreastfeedingtrends.org/docs/HIV-and-Infant-Feeding.pdf>
- IBFAN, & ICDC. (2014). Breaking the rules, stretching the rules 2014. Evidence of code violations from Jan 2011 to Dec 2013. Penang: IBFAN. http://www.ibfan-icdc.org/wp-content/uploads/2017/03/1__Preliminary_pages_5-2-2014.pdf
- IBFAN, & ICDC. (2017). Breaking the rules, stretching the rules - executive summary. https://www.ibfan-icdc.org/files/Exec_Sum_E_BTR_2017.pdf
- ICDC. (2008). Code essentials 1: annotated International Code of Marketing of Breastmilk Substitutes and subsequent WHA resolutions. <http://www.ibfan-icdc.org/files/Code%20Essentials%201.pdf>
- ICDC. (2009b). Code essentials 2: guidelines for policy makers on implementing the International Code of Marketing of Breastmilk Substitutes and subsequent WHA resolutions. <http://www.ibfan-icdc.org/files/Code%20Essentials%202.pdf>
- ICDC. (2009c). Code essentials 3: responsibilities of health workers under the International Code of Marketing of Breastmilk Substitutes and subsequent WHA resolutions. <http://www.ibfan-icdc.org/files/Code%20Essentials%203.pdf>
- ICDC. (2012). Code essentials 4: complying with the International Code of Marketing of Breastmilk Substitutes and subsequent WHA resolutions – a guide for regulators and compliance staff. <http://www.ibfan-icdc.org/files/Code%20Essentials%204.pdf>
- IFE Core Group. (2017). Infant and young child feeding in emergencies - operational guidance for emergency relief staff and programme managers, version 3.0. http://files.enonline.net/attachments/2671/OpS-G_2017_WEB.pdf
- Infant Feeding Joint Working Group. (2015). Nutrition for healthy term infants: recommendations from birth to six months. Retrieved 12 September, 2017, from <https://www.canada.ca/en/health-canada/services/food-nutrition/healthy-eating/infant-feeding/nutrition-healthy-term-infants-recommendations-birth-six-months.html>.

- Joseph, J., Gatora, T., Erlwanger, A. S., Mushavi, A., Zizhou, S., Masuka, N., et al. (2017). Impact of point-of-care CD4 testing on retention in care among HIV-positive pregnant and breastfeeding women in the context of Option B+ in Zimbabwe: a cluster randomized controlled trial. *Journal of Acquired Immune Deficiency Syndromes*, 75(Suppl 2), S190-S197.
- Kent, G. (2017). Extending the reach of human milk banking. *World Nutrition*, 8(2), 232-250.
- Kuhn, L., & Aldrovandi, G. (2010). Survival and health benefits of breastfeeding versus artificial feeding in infants of HIV-infected women: developing versus developed world. *Clinics in Perinatology*, 37(4), 843-862.
- Luo, C., Hirnschall, G., Rodrigues, J., Romano, S., Essajee, S., Rogers, B., et al. (2017). Translating technical support into country action: the role of the interagency task team on the prevention and treatment of HIV infection in pregnant women, mothers, and children in the global plan era. *Journal of Acquired Immune Deficiency Syndromes*, 75(Suppl 1), S7-S16.
- Luoga, E. (2017). *HIV transmission from mothers on antiretroviral therapy to their infants during breastfeeding in rural Tanzania*. Paper presented at the 16th European AIDS Conference, Milan.
- McCarthy, E., Joseph, J., Foster, G., Mangwiro, A.-Z., Mwapasa, V., Oyeledun, B., et al. (2017). Modeling the impact of retention interventions on mother-to-child transmission of HIV: results from INSPIRE studies in Malawi, Nigeria, and Zimbabwe. *Journal of Acquired Immune Deficiency Syndromes*, 75(2), S233-S239.
- Mofenson, L. (2013). Prevention of mother-to-child HIV transmission: can we meet the goal of global elimination of new pediatric infections? *Current Opinion in HIV and AIDS*, 8(5), 443-446.
- Mwapasa, V., Joseph, J., Tchereni, T., Jousset, A., & Gunda, A. (2017). Impact of mother–infant pair clinics and short-text messaging service (SMS) reminders on retention of HIV-infected women and HIV-exposed infants in eMTCT care in Malawi: a cluster randomized trial. *Journal of Acquired Immune Deficiency Syndromes*, 75(Suppl 2), S123-S131.
- Myer, L., & Phillips, T. K. (2017). Beyond “Option B+”: understanding antiretroviral therapy (ART) adherence, retention in care and engagement in ART services among pregnant and postpartum women initiating therapy in sub-Saharan Africa. *Journal of Acquired Immune Deficiency Syndromes*, 75(Suppl 2), S115-S122.
- National Department of Health South Africa. (2014). National consolidated guidelines for the prevention of mother-to-child transmission of HIV (PMTCT) and the management of HIV in children, adolescents and adults. Pretoria: Department of Health Republic of South Africa. <http://www.sahivsoc.org/Files/ART%20Guidelines%2015052015.pdf>
- Orne-Gliemann, J., Font, H., Maphosa, T., Kangwende, A., Rusakaniko, S., Magezi, V., et al. (2017). Patterns of attendance at mother support groups in Zimbabwe. The EPAZ Trial (2014–2016). *Journal of Acquired Immune Deficiency Syndromes*, 75(Suppl 2), S216-S223.
- Orza, L., Crone, T., Mellin, J., Westerhof, N., Stackpool-Moore, L., Restoy, E., et al. (2017). Searching for the second R in sexual and reproductive health and... rights. *Journal of Adolescent Health*, 60(Suppl 2), S10-S14.
- Osibo, B., Oronsaye, F., Alo, O. D., Phillips, A., Becquet, R., Shaffer, N., et al. (2017). Using small tests of change to improve PMTCT services in northern Nigeria: experiences from implementation of a continuous quality improvement and breakthrough series program. *Journal of Acquired Immune Deficiency Syndromes*, 75(Suppl 2), S165-S172.
- Owiredun, M. N., Bellare, N. B., Musanhu, C. C. C., Oyelade, T. A., Thom, E. M., Bigirimana, F., et al. (2017). Building health system capacity through implementation research: experience of INSPIRE—a multi-country PMTCT implementation research project. *Journal of Acquired Immune Deficiency Syndromes*, 75(Suppl 2), S240-247.
- Oyeledun, B., Phillips, A., Oronsaye, F., Alo, O. D., Shaffer, N., Osibo, B., et al. (2017). The effect of a continuous quality improvement intervention on retention-in-care at 6 months postpartum in a PMTCT program in northern Nigeria: results of a cluster randomized controlled study. *Journal of Acquired Immune Deficiency Syndromes*, 75(Suppl 2), S156-S164.
- Paudel, V., & Baral, K. P. (2015). Women living with HIV/AIDS (WLHA), battling stigma, discrimination and denial and the role of support groups as a coping strategy: a review of literature. *Reproductive Health*, 12, 53.
- Phiri, S., Tweya, H., van Lettow, M., Rosenberg, N. E., Trapence, C., Kapito-Tembo, A., et al. (2017). Impact of facility- and community-based peer support models on maternal uptake and retention in Malawi's option B+ HIV prevention of mother-to-child transmission program: a 3-arm cluster randomized controlled trial (PURE Malawi). *Journal of Acquired Immune Deficiency Syndromes*, 75(Suppl 2), S140-S148.
- Rollins, N., & Coovadia, H. M. (2013). Breastfeeding and HIV transmission in the developing world: past, present, future. *Current Opinion in HIV and AIDS*, 8(5), 467-473.
- Rollins, N. C., Bhandari, N., Hajeerhoy, N., Horton, S., Lutter, C. K., Martines, J. C., et al. (2016). Why invest, and what it will take to improve breastfeeding practices? *The Lancet*, 387(10017), 491-504.
- Rollins, N. C., Essajee, S. M., Bellare, N., Doherty, M., & Hirnschall, G. O. (2017). Improving retention in care among pregnant women and mothers living with HIV: lessons from INSPIRE and implications for future WHO guidance and monitoring. *Journal of Acquired Immune Deficiency Syndromes*, 75(2), S111-S114.
- Ross, D. A., & Santelli, J. (2017). Sexual and reproductive health and rights and HIV programming among young people most affected by HIV: lessons from the link up project in five countries. *Journal of Adolescent Health*, 60(Suppl 2), S1-S2.
- Sam-Agudu, N. A., Ramadhani, H. O., Isah, C., Anaba, U., Ereka, S., Fan-Osuala, C., et al. (2017). The impact of structured mentor mother programs on 6-month postpartum retention and viral suppression among HIV-positive women in rural Nigeria: a prospective paired cohort study. *Journal of Acquired Immune Deficiency Syndromes*, 75(Suppl 2), S173-S181.

- Sokol, E., Clark, D., & Aguayo, V. M. (2008). Protecting breastfeeding in West and Central Africa: over 25 years of implementation of the international code of marketing of breastmilk substitutes. *Food and Nutrition Bulletin*, 29(3), 159-162.
- Sokol, E. J. (1997). *The code handbook: a guide to implementing the International Code of Marketing of Breastmilk Substitutes*. Penang: IBFAN-ICDC.
- Spatz, D. L., & Lessen, R. (2011). *Risks of not breastfeeding*. International Lactation Consultant Association.
- The Partnership for Maternal Newborn and Child Health. (2006). *Opportunities for Africa's newborns: practical data, policy and programmatic support for newborn care in Africa*. WHO on behalf of The Partnership for Maternal Newborn and Child Health. <http://www.who.int/pmnch/media/publications/oanfullreport.pdf?ua=1>
- UNAIDS. (2010a). *Agenda for accelerated country action for women, girls, gender equality and HIV - operational plan for the UNAIDS action framework: addressing women, girls, gender equality and HIV*. Geneva: UNAIDS. http://www.unaids.org/sites/default/files/media_asset/20100226_jc1794_agenda_for_accelerated_country_action_en_0.pdf
- UNAIDS. (2010b). *Getting to zero: 2011-2015 strategy Joint United Nations Programme on HIV/AIDS (UNAIDS)*. Geneva: UNAIDS. http://www.unaids.org/sites/default/files/media_asset/JC2034_UNAIDS_Strategy_en_1.pdf
- UNAIDS. (2016a). *AIDS by the numbers — AIDS is not over, but it can be*. Geneva: UNAIDS. http://www.unaids.org/sites/default/files/media_asset/AIDS-by-the-numbers-2016_en.pdf
- UNAIDS. (2016c). *Prevention gap report*. Geneva: UNAIDS. http://www.unaids.org/sites/default/files/media_asset/2016-prevention-gap-report_en.pdf
- UNAIDS. (2017b). *Factsheet - World AIDS Day 2017*. http://www.unaids.org/sites/default/files/media_asset/UNAIDS_FactSheet_en.pdf
- UNAIDS. (2017c). *Global AIDS update - ending AIDS: progress towards the 90-90-90 targets*. Geneva: UNAIDS. http://www.unaids.org/sites/default/files/media_asset/Global_AIDS_update_2017_en.pdf
- UNESCO, & UNAIDS. (2001). *Action kit on-line: HIV/AIDS and human rights: young people in action*. <http://unesdoc.unesco.org/images/0012/001264/126403e.pdf>
- UNICEF. (2014a). *Fact sheet: a summary of the rights under the Convention on the Rights of the Child*: UNICEF. https://www.unicef.org/crc/files/Rights_overview.pdf
- UNICEF. (2016a). *Annual results report 2016 HIV and AIDS*. New York: UNICEF. https://www.unicef.org/publicpartnerships/files/2016arr_hiv aids.pdf
- UNICEF. (2016b). *Annual results report 2016 nutrition*. New York: UNICEF. https://www.unicef.org/publicpartnerships/files/2016arr_nutrition.pdf
- UNICEF, WHO, UNESCO, UNFPA, UNDP, UNAIDS, et al. (2010). *Facts for life (4th ed.)*. New York: UNICEF. https://www.unicef.org/publications/files/Facts_for_Life_EN_010810.pdf
- UNICEF, WHO, World Bank, & UN. (2017). *Levels & trends in child mortality - report 2017*. New York: UNICEF. https://www.unicef.org/publications/files/Child_Mortality_Report_2017.pdf
- WABA. (2016a). *WABA 2016 world AIDS day statement: hands up for prevention*. <http://waba.org.my/waba-2016-world-aids-day-statement-b/>
- WABA. (2016b). *What women need to know about breastfeeding in the HIV context*. <http://waba.org.my/newsite/wp-content/uploads/2016/11/What-women-need-to-know-about-breastfeeding-in-the-HIV-context-30-Nov.pdf>
- WABA. (2017). *WABA 2017 world AIDS day statement: MY HEALTH, MY RIGHT CAMPAIGN! A breastfeeding perspective*. <http://waba.org.my/my-health-my-right-campaign-a-breastfeeding-perspective/>
- WebMD. (2017). *What does HIV viral load tell you?* Retrieved 12 September, 2017, from <https://www.webmd.com/hiv-aids/hiv-viral-load-what-you-need-to-know>
- WHO. (1998). *Complementary feeding of young children in developing countries: a review of current scientific knowledge*. Geneva: World Health Organization. http://www.who.int/nutrition/publications/infantfeeding/WHO_NUT_98.1/en/
- WHO. (2013b). *Country implementation of the International Code of Marketing of Breast-Milk Substitutes: status report 2011*. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/10665/85621/1/9789241505987_eng.pdf?ua=1
- WHO. (2013c). *Essential nutrition actions: improving maternal, newborn, infant and young child health and nutrition*. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/10665/84409/1/9789241505550_eng.pdf
- WHO. (2014b). *WHO recommendation on community mobilization through facilitated participatory learning and action cycles with women's groups for maternal and newborn health*. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/10665/127939/1/9789241507271_eng.pdf?ua=1
- WHO. (2016d). *Guidelines on HIV self-testing and partner notification: supplement to consolidated guidelines on HIV testing services*. Geneva: World Health Organization. <http://apps.who.int/iris/bitstream/10665/251655/1/9789241549868-eng.pdf?ua=1>
- WHO. (2017a). *Ambition and action in nutrition 2016-2025*. Geneva: World Health Organization. <http://apps.who.int/iris/bitstream/10665/255485/1/9789241512435-eng.pdf?ua=1>
- WHO. (2017b). *Global action plan on HIV drug resistance 2017-2021*. Geneva: World Health Organization. <http://apps.who.int/iris/bitstream/10665/255883/1/9789241512848-eng.pdf?ua=1>
- WHO. (2017c). *Global guidance on criteria and processes for validation: elimination of mother-to-child transmission of HIV and syphilis*. Geneva: World Health Organization. <http://apps.who.int/iris/bitstream/10665/259517/1/9789241513272-eng.pdf?ua=1>

WHO. (2017e). Guideline - protecting, promoting and supporting breastfeeding in facilities providing maternity and newborn services. Geneva: World Health Organization. <http://apps.who.int/iris/bitstream/10665/259386/1/9789241550086-eng.pdf>

WHO. (2017h). The International Code of Marketing of Breast-milk Substitutes: frequently asked questions - 2017 Update. Geneva: World Health Organization. <http://apps.who.int/iris/bitstream/10665/254911/1/WHO-NMH-NHD-17.1-eng.pdf?ua=1>

WHO. (2017i). Preventing HIV during pregnancy and breastfeeding in the context of PrEP - technical brief. Geneva: World Health Organization. <http://apps.who.int/iris/bitstream/10665/255866/1/WHO-HIV-2017.09-eng.pdf?ua=1>

WHO. (2017j). World health statistics 2017: monitoring health for the SDGs. Geneva: World Health Organization. <http://apps.who.int/iris/bitstream/10665/255336/1/9789241565486-eng.pdf?ua=1>

WHO, & 1000 Days. (2015). Breastfeeding - the goal. http://www.who.int/nutrition/global-target-2025/infographic_breastfeeding.pdf

WHO, & CDC. (2015). Improving the quality of HIV-related point-of-care testing: ensuring the reliability and accuracy of test results. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/10665/199799/1/9789241508179_eng.pdf?ua=1

WHO, CDC, PEPFAR, USAID, & IAS. (2017a). Key considerations for differentiated antiretroviral therapy delivery for specific populations: children, adolescents, pregnant and breastfeeding women and key populations. Geneva: World Health Organization. <http://apps.who.int/iris/bitstream/10665/258506/1/WHO-HIV-2017.34-eng.pdf?ua=1>

WHO, CDC, & The Global Fund. (2017b). HIV drug resistance report 2017. Geneva: World Health Organization. <http://apps.who.int/iris/bitstream/10665/255896/1/9789241512831-eng.pdf?ua=1>

WHO, & UNICEF. (2003). Global strategy for infant and young child feeding. Geneva: World Health Organization. <http://apps.who.int/iris/bitstream/handle/10665/42590/9241562218.pdf;jsessionid=D0DA55BB1E0381EA44FBBE8104818585?sequence=1>

WHO, & UNICEF. (2017). NetCode toolkit - monitoring the marketing of breast-milk substitutes: protocol for periodic assessments. Geneva: World Health Organization. <http://apps.who.int/iris/bitstream/10665/259695/1/9789241513494-eng.pdf?ua=1>

WHO, UNICEF, & IBFAN. (2016). Marketing of breast-milk substitutes: national implementation of the international code: status report 2016. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/10665/206008/1/9789241565325_eng.pdf

TRAINING MATERIALS AND MANUALS

ABM. Clinical protocols from the Academy of Breastfeeding Medicine. Retrieved 5 April, 2018, from <http://www.bfmed.org/protocols>.

BPNI, & IBFAN. (2015). The '4 in 1' training programme: capacity building initiative for building health workers' skills in infant and young child feeding counseling. Delhi: BPNI. <http://bpni.org/Training/4-in-1-brochure.pdf>

ENN, IBFAN-GIFA, Fondation Terre des Hommes, CARE USA, Action Contre la Faim, UNICEF, et al. (2007). Infant feeding in emergencies - for health and nutrition workers in emergency situations. Module 2, version 1.1. <http://www.ennonline.net/ifemodule2>

IATT, IPPF, UNFPA, UNICEF, & WHO. (2013a). Eliminating mother-to-child transmission of HIV and keeping their mothers alive: job aid for healthcare workers. https://www.unfpa.org/sites/default/files/resource-pdf/IATT_EMTCTJobAid_WEB_0.pdf

IATT, WHO, & UNICEF. (2013b). Toolkit, expanding and simplifying treatment for pregnant women living with HIV. Managing the transition to Option B/B+. http://www.who.int/hiv/pub/mtct/iatt_optionBplus_toolkit/en/

ICAP. Improving retention, adherence & psychosocial support within PMTCT services: a toolkit for health workers. <http://files.icap.columbia.edu/files/uploads/PMTCTToolkitComplete.pdf>

ICAP. (2017). ICAP approach to strategic HIV testing. http://files.icap.columbia.edu/files/uploads/ICAP_Approach_to_Strategic_HIV_Testing_20July17.pdf

IFE Core Group. (2017). Infant and young child feeding in emergencies - operational guidance for emergency relief staff and programme managers, version 3.0. http://files.ennonline.net/attachments/2671/OpS-G_2017_WEB.pdf

PATA, & PACF. (2017). Clinic-community collaboration toolkit: working together to improve PMTCT and paediatric HIV treatment, care and support. http://teampata.org/wp-content/uploads/2017/11/C3-Toolkit_WEB.compressed.pdf

UNICEF. (2017). Community based infant and young child feeding materials. Retrieved 12 September, 2017, from https://www.unicef.org/nutrition/index_58362.html

USAID, PATH, & IYCN. (2010a). Infant and young child feeding and gender - a participant manual for male group leaders. http://www.iycn.org/files/IYCN_Mens-Groups-IYCF-Participant-Manual_0311.pdf

USAID, PATH, & IYCN. (2011a). Mother-to-mother support groups: facilitator's manual with discussion guide. http://www.iycn.org/files/IYCN_Mother-to-Mother-Support-Group-Facilitator-Manual_0311.pdf

USAID, PATH, & IYCN. (2011b). Mother-to-mother support groups: trainer's manual. http://www.iycn.org/files/IYCN_Mother-to-Mother-Support-Group-Training-Manual_0311.pdf

- USAID, The Grandmother Project, & IYCN. (2010c). The roles and influence of grandmothers and men - evidence supporting a family-focused approach to optimal infant and young child nutrition. <http://www.iycn.org/files/IYCN-GM-and-Men-Lit-Review-060311.pdf>
- Wellstart International. (2005). Infant and young child feeding in emergency situations http://www.wellstart.org/Infant_feeding_emergency.pdf
- WHO. (2009a). Counselling for maternal and newborn health care: a handbook for building skills. Geneva: World Health Organization. http://apps.who.int/iris/bitstream/handle/10665/44016/9789241547628_eng.pdf?sequence=1
- WHO. (2012b). Planning for the health sector response to HIV/AIDS: a set of training modules. New Delhi: World Health Organization SEARO. <http://apps.who.int/iris/bitstream/10665/205630/1/B4794.pdf>
- WHO, & FAO. (2007). Safe preparation, storage and handling of powdered infant formula: guidelines. Geneva: World Health Organization. http://www.who.int/foodsafety/publications/micro/pif_guidelines.pdf
- WHO, & UNICEF. (1993). Breastfeeding counselling: a training course. Geneva: World Health Organization. http://www.who.int/maternal_child_adolescent/documents/who_cdr_93_3/en/

SLIDES AND VIDEOS

- Breastfeeding Medicine of Northeast Ohio. (2017). The basics of latching. Retrieved 5 April, 2018, from <https://vimeo.com/204112635>.
- Global Health Media. Videos. Retrieved 5 April, 2018, from <https://globalhealthmedia.org/videos/>.
- Goodsmith, L., & Acosta, A. (2011). Community video for social change: a toolkit. Minneapolis, MN: American Refugee Committee International. <http://communityvideo.in/>
- ICAP. (2011). Saving two lives: a patient education video on adherence to PMTCT. From <https://www.youtube.com/watch?v=0doaUvTlodY>.
- Israel-Ballard, K. (2007). HIV in breastfeeding killed by flash-heating, new study finds (video). From http://www.berkeley.edu/news/media/releases/2007/05/21_breastmilk-video.shtml.
- Morrison, P. (2014). HIV and Breastfeeding - The findings that transformed policy. Retrieved 5 April, 2018, from <https://www.youtube.com/watch?v=HKhTAiwymU&list=UU-xzPK3k1onWQgS1b4r1ObA>.
- RaisingVoicesChannel. (2013a). Raising voices - SASA! a film about women, violence and HIV/AIDS. Retrieved 5 April, 2018, from https://www.youtube.com/watch?v=a9_dsiYNecc.
- RaisingVoicesChannel. (2013b). The SASA! Approach for preventing violence against women and HIV. Retrieved 5 April, 2018, from <https://www.youtube.com/watch?v=CNzwJ9QvVfs>.
- Rollins, N. (2013). Ethical and public health considerations on breastfeeding in the context of HIV. Maternal, Newborn, Child and Adolescent Health, World Health Organization. http://www.who.int/nutrition/topics/seminar_7Aug2013_DrRollins_presentation.pdf



Notes:

A series of horizontal dashed lines for taking notes.



The World Alliance for Breastfeeding Action (WABA) is a global network of individuals and organisations concerned with the protection, promotion and support of breastfeeding worldwide. WABA action is based on the Innocenti Declaration, the Ten Links for Nurturing the Future and the Global Strategy for Infant & Young Child Feeding. WABA is in consultative status with UNICEF and an NGO in Special Consultative Status with the Economic and Social Council of the United Nations (ECOSOC).